



=> file reg
FILE 'REGISTRY'

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

=> display history full 11-

```
FILE 'HCAPLUS'
L1·
             64 SEA VIERHEILIG ?/AU
          35516 SEA GUPTA ?/AU
L2
L3
           2126 SEA TURK ?/AU
             · 2 SEA L1 AND L2 AND L3
L4
     FILE 'REGISTRY'
                E ZINC TITANATE/CN
              5 SEA ("ZINC TITANATE"/CN OR "ZINC TITANATE (ZN2TIO4)"/CN
L5
                OR "ZINC TITANATE (ZNTIO3)"/CN OR "ZINC TITANATE(IV)
                (ZN2TI308)"/CN OR "ZINC TITANATE(IV) (ZN2TI04)"/CN OR
                "ZINC TITANATE(IV) (ZNTI2O5)"/CN OR "ZINC TITANATE(IV)
                (ZNTIO3)"/CN OR "ZINC TITANIUM OXIDE (ZN2TI308)"/CN OR
                "ZINC TITANIUM OXIDE (ZN2TIO4)"/CN OR "ZINC TITANIUM
                OXIDE (ZNTIO3)"/CN)
L6
           7924 SEA (M(L)O)/ELS (L) 2/ELC.SUB
              1 SEA 11104-48-6
L7
L8
              1 SEA 11137-98-7
              1 SEA 37275-76-6
T.9
L10
              1 SEA 39354-08-0
     FILE 'HCA'
L11
           1140 SEA L5 OR (ZINC# OR ZN) (A) TITANATE# OR ZN2TIO4 OR ZNTIO3
                OR ZN2TI3O8 OR ZNTI2O5
L12
         929137 SEA L6 OR METAL####(W)(OXIDE# OR MONOXIDE# OR DIOXIDE#
                OR TRIOXIDE# OR TETRAOXIDE# OR TETROXIDE# OR PENTAOXIDE#
                OR PENTOXIDE#) OR MOX
L13
          423,85 SEA (L7 OR L8 OR L9 OR L10) OR ALUMINATE#
             67 SEA L11 AND L12 AND L13
L14
     FILE 'REGISTRY'
                E CARBON DISULFIDE/CN
L15
              1 SEA "CARBON DISULFIDE"/CN
                E CARBONYL SULFIDE/CN
L16
              1 SEA "CARBONYL SULFIDE"/CN
                E HYDROGEN SULFIDE/CN
L17
              1 SEA "HYDROGEN SULFIDE"/CN
```

D SCAN

```
FILE 'HCA' ENTERED AT 21:48:59 ON 07 JUL 2005
L18
         168089 SEA (L15 OR L16 OR L17) OR (CARBON# OR CARBONYL# OR
                HYDROGEN#)(A)(SULFIDE# OR DISULFIDE#) OR CS2 OR COS OR
                CSO OR H2S
         953137 SEA DESULFUR? OR SULFUR? OR ?SULFID? OR SO2 OR SOX OR
L19
                S(2A) (CONTAIN? OR CONTG#)
L20
         212838 SEA (FLUE# OR FUEL? OR OFF OR WASTE# OR COAL#)(2A)GAS##
                OR FLUEGAS## OR FUELGAS## OR WASTEGAS## OR OFFGAS## OR
                COALGAS##
             27 SEA L14 AND ((L18 OR L19 OR L20))
L21
L22
             40 SEA L14 NOT L21
             59 S L11 AND L12 AND ?ALUMINAT?
L23
L24
             25 S L23 AND (L18-L20)
             0 S L24 NOT L21
L25
              0 S L23 NOT (L21 OR L22)
L26
```

=> file hca FILE 'HCA' USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

ANSWER 1 OF 27 HCA COPYRIGHT 2005 ACS on STN

=> d 121 1-27 cbib abs hitstr hitind

20030919.

- 142:300640 Hydrorefining and/or hydroconversion catalyst comprising an active phase in the form of a solid solution **sulfide** of molybdenum and tungsten. Thomazeau, Cecile; Harle, Virginie; Cseri, Tivadar; Lacroix, Michel; Danot, Michel; Geantet, Christophe (Institut Francais du Petrole, Fr.). Eur. Pat. Appl. EP 1516667 A1 20050323, 18 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR. (French). CODEN: EPXXDW. APPLICATION: EP 2004-292182 20040910. PRIORITY: FR 2003-11032
- AB The title catalyst has formula MoxW1-xSy, where x is 0-1 and y is 1.4-2.6 and preferably a Group VIII element.
- 1309-48-4, Magnesia, uses 1312-81-8, Lanthanum oxide 1314-23-4, Zirconium oxide, uses 1344-28-1, Alumina, uses 11104-48-6, Calcium aluminate 11137-98-7, Magnesium aluminate 12651-25-1, Zinc titanate 13463-67-7, Titanium oxide, uses 37275-76-6, Zinc aluminate

39354-08-0, Nickel aluminate

(hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

RN 1309-48-4 HCA

CN Magnesium oxide (MgO) (9CI) (CA INDEX NAME)

Mg=== 0

RN 1312-81-8 HCA

CN Lanthanum oxide (La2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

o = Zr = 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 11104-48-6 HCA

CN Aluminum calcium oxide (9CI) (CA INDEX NAME)

Component	1	Ratio	 	Component Registry Number
	==+==:		===+=	
0		X	. 1	17778-80-2
Ca		X	- 1	7440-70-2
Al		X	- 1	7429-90-5

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component		Ratio	!	Component Registry Number
	=+==	=========	====+=	
0	1	X		17778-80-2
Mg	1	X		7439-95-4
Al		X		7429-90-5

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	Ratio		Component
	I ·	1	Registry Number
	L	- 4 -	

O | x | 17778-80-2 Zn | x | 7440-66-6 Ti | x | 7440-32-6

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = 0

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio	Component Registry Number
==========	==+==	=========	===+===================================
0	1	X	17778-80-2
Zn	1.	X	7440-66-6
Al	1	X	7429-90-5

RN 39354-08-0 HCA

CN Aluminum nickel oxide (9CI) (CA INDEX NAME)

Component	 	Ratio		Component Registry Number
=======================================	=+==		==+=	===============
0		X	1	17778-80-2
Ni	1	x	- 1	7440-02-0
Al		X	- 1	7429-90-5

- IC ICM B01J023-30
 - ICS B01J023-888; B01J029-06; B01J035-00; B01J037-20; C10G045-08
- CC 51-6 (Fossil Fuels, Derivatives, and Related Products)

Section cross-reference(s): 25, 45, 67

- ST hydrorefining catalyst active phase solid soln **sulfide**molybdenum tungsten; hydroconversion catalyst active phase solid
 soln molybdenum tungsten **sulfide**
- IT Petroleum products

(Fischer-Tropsch; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Gas oils

(HDS of; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Zeolites (synthetic), uses

(Nu-10, Nu-86, Nu-87, Nu-88; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln.

sulfide of molybdenum and tungsten)

IT Transition metal compounds

(aluminophosphates; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Silicates, uses

(chromo-; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Aluminophosphate zeolites

(cobalt; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Silicates, uses

(ferrosilicates; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Petroleum refining catalysts

(hydrogenation; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Petroleum hydrotreating catalysts

Solid solutions

(hydrorefining and/or hydroconversion catalyst comprising active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Hydrodesulfurization catalysts

Molecular sieves

(hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Aluminates

Aluminophosphates Beta zeolites Borosilicates Clays, uses Faujasite-type zeolites Group VIII elements L zeolites Mordenite-type zeolites Phyllosilicate minerals Rare earth Y zeolites Silicalites (zeolites) Silicoaluminophosphate zeolites Titanates X zeolites Y.zeolites Zeolite ZSM-22

Zeolite ZSM-5 Zeolite omega

(hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Paraffin oils

(hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Aluminosilicates, uses

(phosphoaluminosilicates; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Silicates, uses

(phyllo-; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT Aluminophosphates

(silicoaluminophosphates; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. sulfide of molybdenum and tungsten)

IT Aluminophosphate zeolites

(transition metal; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

IT 108-88-3, Toluene, uses 119-64-2, Tetralin (hydrogenation of; hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)

1303-86-2, Boron oxide, uses 1309-48-4, Magnesia, uses IT1312-81-8, Lanthanum oxide 1314-23-4, Zirconium 1318-00-9, Vermiculite 1318-74-7, Kaolinite, uses oxide, uses 1319-41-1, Saponite 1318-93-0, Montmorillonite, uses 7439-98-7, Molybdenum, uses 1344-28-1, Alumina, uses 7440-02-0, Nickel, uses 7631-86-9, Silica, uses 7784-30-7, Aluminum phosphate 11104-48-6, Calcium aluminate 11129-08-1, Barium aluminate 11129-18-3, Cerium oxide 11137-98-7, Magnesium aluminate 12172-85-9, Beidellite 12173-47-6, Hectorite **12651-25-1**, 12653-76-8, Nickel titanium oxide Zinc titanate 12672-27-4, Cobalt aluminate 12678-40-9, Aluminum iron 13308-51-5, Boron phosphate 13463-67-7, Titanium oxide 14807-96-6, Talc, uses 25666-97-1, Chrysolite oxide, uses 37247-93-1, Cobalt titanate **37275-76-6**, Zinc aluminate 39354-08-0, Nickel aluminate 39427-01-5, Copper aluminate 50957-60-3, Manganese

aluminate 52337-10-7, Titanium aluminosilicate 53320-86-8, Laponite 61076-98-0, Antigorite 847665-67-2,

- Molybdenum tungsten **sulfide** ((Mo,W)S1.4-2.6) (hydrorefining and/or hydroconversion catalyst comprising an active phase in form of solid soln. **sulfide** of molybdenum and tungsten)
- L21 ANSWER 2 OF 27 HCA COPYRIGHT 2005 ACS on STN
 142:56819 Chemoselective hydrogenation catalysts and their use in a
 process for the removal of alkynes and alkadienes from alkenes.
 Bergmeister, Joseph J.; Delzer, Gary A.; Cheung, Tin-Tack P.
 (Chevron Phillips Chemical Company CPChem, USA). U.S. Pat. Appl.

Publ. US 2004260131 A1 20041223, 6 pp. (English). CODEN: USXXCO.

APPLICATION: US 2003-600609 20030623.

- AB Chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes are described. The catalyst compn. comprises palladium, silver, potassium, and an inorg. support material, where the catalyst compn. contains <0.3% potassium. In the presence of sulfur -contg. impurities (e.g., COS), these catalysts yield a much smaller increase in T1 (cleanup temp.) and higher ethylene selectivity is achieved (i.e., hydrogenation of acetylene into ethylene).
- TT 75-15-0, Carbon disulfide, uses
 463-58-1, Carbonyl sulfide
 7783-06-4, Hydrogen sulfide, uses

(catalyst component; chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes)

RN 75-15-0 HCA

CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME)

s = c = s

RN 463-58-1 HCA

CN Carbon oxide sulfide (COS) (7CI, 9CI) (CA INDEX NAME)

o = c = s

RN 7783-06-4 HCA

CN Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME)

H₂S

IT **20667-12-3**, Silver oxide

(in chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes)

20667-12-3 HCA. RN

CN Silver oxide (Ag2O) (8CI, 9CI) (CA INDEX NAME)

Ag- 0- Ag

1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses IT

12651-25-1, Zinc titanate

13463-67-7, Titania, uses 37275-76-6, Zinc

aluminate

(support; chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes)

1314-23-4 HCA RN

Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME) CN

o = Zr = 0

1344-28-1 HCA RN

Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME) CN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

Titanium zinc oxide (9CI) (CA INDEX NAME) CN

Component	 	Ratio	 R	Component egistry Number
	T		т	
0		X	1	17778-80-2
Zn	1	X	1	7440-66-6
Ti	1	x		7440-32-6

13463-67-7 HCA RN

Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME) CN

o = Ti = o

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio	 	Component Registry Number
=========	==+==	-=========	===+=	=======================================
0		X	I	17778-80-2
Zn	ı	X		7440-66-6
Al	1	X	1	7429-90-5

IC ICM C07C005-03 INCL 585259000

35-2 (Chemistry of Synthetic High Polymers) CC Section cross-reference(s): 48, 67

IT Disulfides .

Thioethers

Thiols, uses

(catalyst components; in chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes)

IT 75-15-0, Carbon disulfide, uses

463-58-1, Carbonyl sulfide

7783-06-4, Hydrogen sulfide, uses

(catalyst component; chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes)

7440-05-3, Palladium, uses 7440-09-7, Potassium, uses IT 7789-23-3, Potassium fluoride **20667-12-3**, Silver, uses Silver oxide

> (in chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes)

1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses IT

7631-86-9, Silica, uses **12651-25-1**, **Zinc**

titanate 13463-67-7, Titania, uses

37275-76-6, Zinc aluminate

(support; chemoselective hydrogenation catalysts and their use in a process for the removal of alkynes and alkadienes from alkenes)

ANSWER 3 OF 27 HCA COPYRIGHT 2005 ACS on STN

-containing, reduced sorbents and methods of use thereof. Vierheilig, Albert A.; Gupta, Raghubir P.; Turk 141:229675 Attrition resistant, zinc titanate Vierheilig, Albert A.; Gupta, Raghubir P.; Turk, Brian S. (Research Triangel Institute, USA; Intercat, Inc.). U.S. Pat. Appl. Publ. US 2004170549 A1 20040902, 17 pp., Division of U.S. Ser. No. 541,204. CODEN: USXXCO. APPLICATION: US 2004-790920 20040302. PRIORITY: US 2000-541204 20000403.

AΒ Reduced sulfur gas species (e.g., H2S, COS and CS2) are removed from a gas stream by compns. wherein a zinc titanate ingredient is assocd. with a metal oxide-aluminate phase material in the same particle species. Non-limiting examples of metal oxides comprising the compns. include magnesium oxide, zinc oxide, calcium oxide, nickel oxide. compns., aside from their chem. reactivity toward reduced sulfur gases, also have the phys. attributes of toughness and attrition resistance.

IT 12651-25-1, Zinc titanate

> (attrition resistant, zinc titanate-contg., reduced sorbents and methods of use thereof)

```
12651-25-1 HCA
RN
CN
    Titanium zinc oxide (9CI) (CA INDEX NAME)
 Component
                     Ratio
                                  Component
                                     Registry Number
0
                                          17778-80-2
                       X
                      , X
                                          7440-66-6
Zn
Τi
                                           7440-32-6
IT
     1305-78-8, Calcium oxide, reactions 1313-99-1,
    Nickel oxide, reactions 1314-13-2, Zinc oxide, reactions
     1344-28-1, Alumina, reactions 13463-67-7, Titanium
     oxide, reactions
        (attrition resistant, zinc titanate-contg.,
        reduced sorbents and methods of use thereof)
     1305-78-8 HCA
RN
    Calcium oxide (CaO) (9CI) (CA INDEX NAME)
CN
Ca = 0
RN
    1313-99-1 HCA
    Nickel oxide (NiO) (8CI, 9CI) (CA INDEX NAME)
CN
Ni = 0
RN
    1314-13-2 HCA
    Zinc oxide (ZnO) (9CI) (CA INDEX NAME)
CN
0=== Zn
    1344-28-1 HCA
RN
    Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
    13463-67-7 HCA
CN
    Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)
0-Ti-0
IT . 75-15-0, Carbon disulfide, processes
    463-58-1, Carbonyl sulfide
    7783-06-4, Hydrogen sulfide, processes
        (attrition resistant, zinc titanate-contg.,
```

reduced sorbents and methods of use thereof)

75-15-0 HCA RN CN Carbon disulfide (8CI, 9CI) (CA INDEX NAME) s== c== s 463-58-1 HCA RN CN Carbon oxide sulfide (COS) (7CI, 9CI) (CA INDEX NAME) o = c = s7783-06-4 HCA RN Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME) ĆΝ H₂S 1309-48-4, Magnesium oxide, uses IT(attrition resistant, zinc titanate-contg., reduced sorbents and methods of use thereof) RN 1309-48-4 HCA Magnesium oxide (MgO) (9CI) (CA INDEX NAME) CN Mg = 0IT 11104-48-6P, Calcium aluminate 11137-98-7P , Magnesium aluminate 37275-76-6P, Zinc aluminate 39354-08-0P, Nickel aluminate (support/binder; attrition resistant, zinc titanate-contg., reduced sorbents and methods of use thereof) RN 11104-48-6 HCA Aluminum calcium oxide (9CI) (CA INDEX NAME) CN

Coi	mponent	Ra -+=========	atio	. !	Compo Registry	Number
O Ca Al		 	x x x		177 74	78-80-2 40-70-2 29-90-5
RN CN	11137-98- Aluminum	-7 HCA magnesium	oxide	(9CI)	(CA INDEX	NAME)
Cor	mponent	Ra	atio		Compo: Registry	

```
_____+
0
                                    17778-80-2
                                   7439-95-4
Mq
                   Х
Al
                                    7429-90-5
    37275-76-6 HCA
RN
    Aluminum zinc oxide (9CI) (CA INDEX NAME)
CN
 Component | Ratio
                                  Component
                        | Registry Number
_____+
                             I 17778-80-2
              х
0
Zn
                   Х
                                   7440-66-6
                                    7429-90-5
Al
                   х
    39354-08-0 HCA
RN
CN Aluminum nickel oxide (9CI) (CA INDEX NAME)
                 Ratio
 Component
                                  Component
                          | Registry Number
      -------
                              17778-80-2
0
                                   7440-02-0
Ni
                   Х
Αl
                                  7429-90-5
                  х
IC
    ICM B01D053-50
INCL 423244060
CC 59-4 (Air Pollution and Industrial Hygiene)
    Section cross-reference(s): 51
    sorbent reduced sulfur compd flue gas
ST
    treatment; zinc titanate metal
    oxide aluminate sorbent reduced sulfur
    Flue gases
IT
     Fuel gases
    Sorbents
     Waste gases
      (attrition resistant, zinc titanate-contg.,
      reduced sorbents and methods of use thereof)
ΙT
    Bentonite, reactions
      (attrition resistant, zinc titanate-contg.,
      reduced sorbents and methods of use thereof)
    12651-25-1, Zinc titanate
IT
      (attrition resistant, zinc titanate-contg.,.
      reduced sorbents and methods of use thereof)
IT
    142-72-3, Magnesium acetate 471-34-1, Calcium carbonate, reactions
    1305-78-8, Calcium oxide, reactions 1313-99-1,
    Nickel oxide, reactions 1314-13-2, Zinc oxide, reactions
```

1318-23-6, Disperal P3 1344-28-1, Alumina, reactions 13463-67-7, Titanium oxide, reactions (attrition resistant, zinc titanate-contg., reduced sorbents and methods of use thereof) ΙT 75-15-0, Carbon disulfide, processes 463-58-1, Carbonyl sulfide 7783-06-4, Hydrogen sulfide, processes (attrition resistant, zinc titanate-contq., reduced sorbents and methods of use thereof) IT64-18-6, Formic acid, reactions (attrition resistant, zinc titanate-contg., reduced sorbents and methods of use thereof) IT1309-48-4, Magnesium oxide, uses (attrition resistant, zinc titanate-contg., reduced sorbents and methods of use thereof) ΙT 11104-48-6P, Calcium aluminate 11137-98-7P , Magnesium aluminate 37275-76-6P, Zinc aluminate 39354-08-0P, Nickel aluminate (support/binder; attrition resistant, zinc titanate-contg., reduced sorbents and methods of use thereof) ANSWER 4 OF 27 HCA COPYRIGHT 2005 ACS on STN L21 140:168641 Flue gas treatments to reduce NOx and CO emissions. Vierheilig, Albert A. (Intercat, Inc., USA). PCT Int. Appl. WO 2004014793 A1 20040219, 17 pp. DESIGNATED STATES: W: AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2003-US25190 20030813. PRIORITY: US 2002-PV402710 20020813. AB The invention provides compns. and methods to reduce NOx emissions from the flue gas of a fluid catalytic cracking The invention also provides methods for reducing CO (FCC) unit. emissions from the regenerator and/or the flue of an FCC unit. compns. of the invention comprise copper and/or cobalt and a carrier. The carrier can be, for example, hydrotalcite like compds., spinels, alumina, zinc titanate, zinc aluminate, zinc titanate/ zinc aluminate, and the like. IT1307-96-6, Cobalt oxide, uses 1309-48-4, Magnesia, uses 1317-38-0, Copper oxide CuO, uses 1344-28-1 , Alumina, uses 12651-25-1, Zinc

titanate 37275-76-6, Zinc aluminate

(compns. for removing NOx and CO from **flue gas** emitted from fluid catalytic cracking app.)

RN 1307-96-6 HCA

CN Cobalt oxide (CoO) (8CI, 9CI) (CA INDEX NAME)

Co = 0

RN 1309-48-4 HCA

CN Magnesium oxide (MgO) (9CI) (CA INDEX NAME)

Mq = 0

RN 1317-38-0 HCA

CN Copper oxide (CuO) (8CI, 9CI) (CA INDEX NAME)

Cu = 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 	Ratio		Component Registry Number
0	 	x		17778-80-2
Zn	1	x	- 1	744.0-66-6
Ti	ŀ	x	1	7440-32-6

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	 	Component Registry Number
0		X		17778-80-2
Zn		X		7440-66-6
Al	1	x	1.	7429-90-5

- IC ICM C01B021-00
- CC 59-4 (Air Pollution and Industrial Hygiene)
- ST **flue gas** treatment compn nitrogen oxide carbon monoxide removal
- IT Cracking (reaction)

(app.; compns. for removing NOx and CO from **flue** gas emitted from fluid catalytic cracking app.)

IT Flue gases

(compns. for removing NOx and CO from **flue gas** emitted from fluid catalytic cracking app.)

IT Air pollution

(control; compns. for removing NOx and CO from **flue** gas emitted from fluid catalytic cracking app.)

IT Reactors

(cracking app.; compns. for removing NOx and CO from **flue gas** emitted from fluid catalytic cracking app.)

1302-67-6, Spinel 1307-96-6, Cobalt oxide, uses 1309-48-4, Magnesia, uses 1317-38-0, Copper oxide CuO, uses 1344-28-1, Alumina, uses 12304-65-3, Hydrotalcite 12651-25-1, Zinc titanate 37275-76-6, Zinc aluminate

(compns. for removing NOx and CO from **flue gas** emitted from fluid catalytic cracking app.)

- IT 630-08-0, Carbon monoxide, processes 11104-93-1, NOx, processes (compns. for removing NOx and CO from **flue gas** emitted from fluid catalytic cracking app.)
- L21 ANSWER 5 OF 27 HCA COPYRIGHT 2005 ACS on STN
 139:338320 Selective hydrogenation process for the production of ethylene and propylene using a palladium catalyst and a sulfur-containing compound. Bergmeister, Joseph J.; Young, David A. (USA). U.S. Pat. Appl. Publ. US 2003204120 A1 20031030, 6 pp. (English). CODEN: USXXCO. APPLICATION: US 2002-133150 20020426.
- AB In a selective hydrogenation process in which highly unsatd. hydrocarbons, such as diolefins and/or alkynes, produced by cracking reactions, are contacted with catalyst compns. contg. palladium, a sulfur-contg. compd. (e.g., carbonyl sulfide), an inorg. support and, optionally, a component silver or alkali metal fluoride, in the presence of hydrogen to produce less unsatd. hydrocarbons such as monoolefins (e.g., ethylene and propylene).
- IT 463-58-1, Carbonyl sulfide

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd.)

RN 463-58-1 HCA

CN Carbon oxide sulfide (COS) (7CI, 9CI) (CA INDEX NAME)

0 = C = S

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses

12651-25-1, Zinc titanate 13463-67-7, Titania, uses 37275-76-6, Zinc

aluminate

(support; selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur**-contg. compd.)

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

0== Zr== 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 	Ratio 	Component Registry Number
0 .	·	Х	17778-80-2
Zn		x	7440-66-6
Ti		x	7440-32-6

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = o

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component	Ratio	Component Registry Number
==========	+=============	+==========
0	x	17778-80-2
Zn	. l x	7440-66-6
Al	x .	7429-90-5

IC ICM C07C007-163

ICS C07C007-167

INCL 585258000; 585259000; 585261000

CC 35-2 (Chemistry of Synthetic High Polymers) Section cross-reference(s): 23, 48, 67

IT Hydrogenation

Hydrogenation catalysts

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd.)

IT Alkadienes

Alkynes

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd.)

IT Alkenes, preparation

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd.)

IT Alkali metal fluorides

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd. and)

IT Organic compounds, uses

(sulfur-contg.; selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a sulfur-contg. compd.)

IT 463-58-1, Carbonyl sulfide 7440-05-3,

Palladium, uses

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd.)

- 74-86-2, Acetylene, reactions 74-99-7, Propyne IT 78-79-5, Isoprene, reactions 106-99-0, 1,3-Butadiene, reactions 107-00-6, 463-49-0, Propadiene 503-17-3, 2-Butyne 504-60-9, 1-Butyne 1,3-Pentadiene 513-81-5, 2,3-Dimethyl-1,3-butadiene 590-19-2, 591-93-5, 1,4-Pentadiene 591-95-7, 1,2-Pentadiene 1,2-Butadiene 592-42-7, 1,5-Hexadiene 592-44-9, 1,2-Hexadiene 592-45-0, 1,4-Hexadiene 592-48-3, 1,3-Hexadiene 598-23-2, 627-19-0, 1-Pentyne 627-21-4, 2-Pentyne 3-Methyl-1-butyne 628-71-7, 1-Heptyne 629-05-0, 1-Octyne 693-02-7, 1-Hexyne 764-93-2, 1-Decyne 1118-58-7, 2-Methyl-1,3-pentadiene 3452-09-3, 1-Nonyne 42441-75-8, Heptadiene Hydrogen, reactions 63597-41-1, Octadiene 81455-44-9, Methylhexadiene (selective hydrogenation process for the prodn. of ethylene and

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd.)

IT 7440-22-4, Silver, uses

(selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur** -contg. compd. and)

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses
7631-86-9, Silica, uses 12651-25-1, Zinc
titanate 13463-67-7, Titania, uses
37275-76-6, Zinc aluminate

(support; selective hydrogenation process for the prodn. of ethylene and propylene using a palladium catalyst and a **sulfur**-contg. compd.)

- L21 ANSWER 6 OF 27 HCA COPYRIGHT 2005 ACS on STN
- 138:323727 Supported noble metal-promoted zinc oxide regenerable sorbent for desulfurization of hydrocarbon feedstocks, especially cracked gasoline and diesel fuel. Khare, Gyanesh P. (Conocophillips Co., USA). U.S. Pat. Appl. Publ. US 2003070966 A1 20030417, 9 pp. (English). CODEN: USXXCO. APPLICATION: US 2001-976195 20011012.
- AB A regenerable sorbent for removing sulfur compds. from hydrocarbons consists of supported zinc oxide promoted by 0.01-25 wt.% of a reduced-valence (e.g., to zero valence) noble metal. Suitable supports include alumina, silica, silica gel, diatomaceous earth, expanded perlite, kieselguhr, titania, zinc aluminate, zinc titanate, and synthetic zeolites; suitable noble metal promoters are Pt, Pd, Rh, Ru, Os, and Ir. The sorbent, which is suitable for desulfurizing cracked gasoline and diesel fuel, is activated by hydrogen redn. at <1500.degree.F and <1500 psia prior to sorption, and can be regenerated by stripping and air oxidn. at <1500.degree.F and <500 psia. Sorption is carried out at 100-1000.degree.F and 15-1500 psia.
- IT 1314-13-2, Zinc oxide, uses

(sorbent; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

RN 1314-13-2 HCA

CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

o = Zn

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses
11137-98-7, Magnesium aluminate 12651-25-1
, Zinc titanate 13463-67-7, Titania,
uses 37275-76-6, Zinc aluminate

(support; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

0== Zr== 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	. . 	Component Registry Number
	+		-===+=	17770 00 0
0	1	X	1	17778-80-2
Mg	1	x	1	7439-95-4
Al	1	×	1	7429-90-5

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Cc	omponent	Ratio	 R	Component egistry Number
			T	
0		X		17778-80-2
Zn		x .	1	7440-66-6
Тi	1	X	1	7440-32-6
		•		
RN	13463-67-7	HCA		

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

O== Ti== O

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio	Component Registry Numbe	r
========	==+==		====+==========	===
0	1	X	17778-80-	2
Zn	1	x	7440-66-	6
Al	1	· x	7429-90-	5

IC ICM B01J023-60

ICS C10G045-04

INCL 208217000; 502329000; 502237000; 502253000

CC 51-9 (Fossil Fuels, Derivatives, and Related Products)

ST regeneration desulfurization sorbent noble metal zinc

oxide; cracked gasoline desulfurization sorbent; diesel zinc oxide platinum desulfurization sorbent

IT Gasoline

(cracker gasoline, **sulfur** removal from; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT Petroleum refining

(desulfurization, sorbents; supported noble metal-promoted zinc oxide regenerable sorbent for desulfurization of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT Perlite

(expanded, support; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT Noble metals

(sorbent promoter; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT Diesel fuel

(sulfur removal from; supported noble metal-promoted zinc oxide regenerable sorbent for desulfurization of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT Diatomite

Silica gel, uses

Zeolite-group minerals

Zeolites (synthetic), uses

(support; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT Sorbents

(supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT 7439-88-5, Iridium, uses 7440-04-2, Osmium, uses 7440-05-3, Palladium, uses 7440-06-4, Platinum, uses 7440-16-6, Rhodium, uses 7440-18-8, Ruthenium, uses

(sorbent promoter; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

IT 1314-13-2, Zinc oxide, uses

(sorbent; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses 7631-86-9, Silica, uses 11126-29-7, Zinc silicate 11137-98-7, Magnesium aluminate 12032-30-3,

Magnesium titanate 12651-25-1, Zinc titanate 13463-67-7, Titania, uses 37275-76-6, Zinc aluminate

(support; supported noble metal-promoted zinc oxide regenerable sorbent for **desulfurization** of hydrocarbon feedstocks, esp. cracked gasoline and diesel fuel)

L21 ANSWER 7 OF 27 HCA COPYRIGHT 2005 ACS on STN

138:223979 **Desulfurization** and novel sorbent for same. Khare, Gyanesh P. (USA). U.S. Pat. Appl. Publ. US 2003047489 A1 20030313, 9 pp. (English). CODEN: USXXCO. APPLICATION: US 2001-949336 20010907.

AB A sorbent compn. comprising a support and reduced-valence iron can be used to **desulfurize** a hydrocarbon-contg. fluid such as cracked-gasoline or diesel fuel.

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses
11137-98-7, Magnesium aluminate 12651-25-1
, Zinc titanate 13463-67-7, Titania,
uses 37275-76-6, Zinc aluminate

(sorbent for **desulfurization** of hydrocarbons such as gasoline and novel sorbent contg. reduced-valence iron)

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

o = Zr = o

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	1	Ratio		Component
				Registry Number
	+		+-	
0	1	x		17778-80-2
Mg	1	X	1	7439-95-4
Al	1	x ·	1	7429-90-5

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	Į Į	Ratio	 	Component Registry Number
0	==+=: 	x	===+=: 	17778-80-2
Zn	i	X	i	7440-66-6

7440-32-6 Тi - 1 Х 13463-67-7 HCA RN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME) o = Ti = oRN 37275-76-6 HCA Aluminum zinc oxide (9CI) (CA INDEX NAME) CN Component | Ratio Component 1 | Registry Number Х 17778-80-2 0 Zn Х . 7440-66-6 х Αl 7429-90-5 1314-13-2, Zinc oxide, uses IΤ (sorbent for desulfurization of hydrocarbons such as gasoline and novel sorbent contg. reduced-valence iron) 1314-13-2 HCA RN Zinc oxide (ZnO) (9CI) (CA INDEX NAME) CN 0 = ZnICM B01J020-02 IC ICS C01B007-00; C10G045-04 INCL 208208000R; 502406000; 502405000; 423244100; 208217000 51-6 (Fossil Fuels, Derivatives, and Related Products) CC STgasoline desulfurization reduced valence iron sorbent Perlite ·IT (expanded; sorbent for desulfurization of hydrocarbons such as gasoline and novel sorbent contg. reduced-valence iron) ΙT Desulfurization (sorbent for desulfurization of hydrocarbons such as gasoline and novel sorbent contg. reduced-valence iron) ITGasoline (sorbent for desulfurization of hydrocarbons such as gasoline and novel sorbent contg. reduced-valence iron) IT Silica gel, uses Zeolite-group minerals Zeolites (synthetic), uses (sorbent for desulfurization of hydrocarbons such as gasoline and novel sorbent contg. reduced-valence iron) IT Diatomite (sorbent for desulfurization of hydrocarbons such as

```
gasoline and novel sorbent contg. reduced-valence iron)
IT
     1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses
     7631-86-9, Silica, uses
                               11126-29-7, Zinc silicate
     11137-98-7, Magnesium aluminate
                                       12032-30-3,
     Magnesium titanate 12651-25-1, Zinc
     titanate 13463-67-7, Titania, uses
     37275-76-6, Zinc aluminate
                                 159995-97-8, Aluminum
     silicon oxide
        (sorbent for desulfurization of hydrocarbons such as
        gasoline and novel sorbent contg. reduced-valence iron)
IT
     1314-13-2, Zinc oxide, uses
        (sorbent for desulfurization of hydrocarbons such as
        gasoline and novel sorbent contg. reduced-valence iron)
     64-19-7, Acetic acid, reactions 1333-74-0, Hydrogen, reactions
IT
     7732-18-5, Water, reactions 7782-61-8 21645-51-2, Aluminum
     hydroxide, reactions
        (sorbent for desulfurization of hydrocarbons such as
        gasoline and novel sorbent contg. reduced-valence iron)
     7704-34-9, Sulfur, processes
IT
        (sorbent for desulfurization of hydrocarbons such as
        gasoline and novel sorbent contq. reduced-valence iron)
     7439-89-6, Iron, uses
IT ·
        (valence <2; sorbent for desulfurization of
        hydrocarbons such as gasoline and novel sorbent contg.
        reduced-valence iron)
    ANSWER 8 OF 27 HCA COPYRIGHT 2005 ACS on STN
138:14984 Supported sulfur compositions and the preparation
     and use thereof. Cheung, Tin-Tack Peter; Kubicek, Donald H.; Legg,
     David E. (Phillips Petroleum Company, USA). U.S. US 6491887 B1
     20021210, 4 pp. (English). CODEN: USXXAM.
                                                  APPLICATION: US
     2000-593071 20000613.
     A solid combination of elemental sulfur and an inorg.
AΒ
     support material prepd. in an inert atm. to provide a compn. for
     absorbing trialkyl arsines. The compn. prepd. thereby and the
     method for absorbing trialkyl arsines using the compn.
     1309-48-4, Magnesia, uses 1314-13-2, Zinc oxide,
IT
     uses 1314-23-4, Zirconia, uses 1344-28-1,
     Alumina, uses 1344-28-1D, Alumina, fluorided
     12055-23-1, Hafnia 12651-25-1, Zinc
     titanate 13463-67-7, Titania, uses
     37275-76-6, Zinc aluminate
        (supported sulfur compns. and the prepn. and use
        thereof for absorption of trialkyl arsines)
RN
     1309-48-4 HCA
```

Magnesium oxide (MgO) (9CI) (CA INDEX NAME)

CN

Mg = 0

RN 1314-13-2 HCA

CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

0 = Zn

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

o = Zr = o

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12055-23-1 HCA

CN Hafnium oxide (HfO2) (8CI, 9CI) (CA INDEX NAME)

0 = Hf = 0

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio		Component Registry Number
	==+==		==+=	
0	1	x		17778-80-2
Zn	1 .	x	1	7440-66-6
Ti		x		7440-32-6

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = o

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component | Ratio | Component

```
Registry Number
_____+
                                          17778-80-2
0
Zn
                                          7440-66-6
                       х
Αl
                                           7429-90-5
                       Х
     ICM B01D053-14
IC
     ICS B01D053-72; B01D020-00
INCL 423245100; 502400000; 502407000; 502415000; 502417000; 502423000;
     585820000
CC
     48-1 (Unit Operations and Processes)
     supported sulfur compn trialkyl arsine absorption
ST
IT .
    Alkaline earth metals
        (aluminates or titanates; supported sulfur
       compns. and the prepn. and use thereof for absorption of trialkyl
        arsines)
ΙT
     Zeolites (synthetic), uses
        (supported sulfur compns. and the prepn. and use
       thereof for absorption of trialkyl arsines)
ΙT
     7440-44-0, Carbon, uses
        (activated; supported sulfur compns. and the prepn. and
       use thereof for absorption of trialkyl arsines)
     1309-48-4, Magnesia, uses 1314-13-2, Zinc oxide,
ΙT
    uses 1314-23-4, Zirconia, uses 1344-28-1,
    Alumina, uses 1344-28-1D, Alumina, fluorided
                                                  7631-86-9,
                 7784-30-7, Aluminum phosphate 12055-23-1,
     Silica, uses
    Hafnia 12651-25-1, Zinc titanate
    13463-67-7, Titania, uses 37275-76-6, Zinc
    aluminate
        (supported sulfur compns. and the prepn. and use
       thereof for absorption of trialkyl arsines)
ΙT
    7704-34-9P, Sulfur, preparation
        (supported sulfur compns. and the prepn. and use
       thereof for absorption of trialkyl arsines)
ΙT
    593-88-4, Trimethylarsine
                               7784-42-1D, Arsine, trialkyl derivs
        (supported sulfur compns. and the prepn. and use
       thereof for absorption of trialkyl arsines)
IT
     67-64-1, Acetone, reactions
                                  124-38-9, Carbon dioxide, reactions
    7727-37-9, Nitrogen, reactions
        (supported sulfur compns. and the prepn. and use
       thereof for absorption of trialkyl arsines)
    ANSWER 9 OF 27 HCA COPYRIGHT 2005 ACS on STN
136:250122 Regenerable metal oxide and
    metal-promoted oxides for removal of organic sulfur
    compounds in hydrocarbon fuel desulfurization. Gupta,
    Raghubir P.; Turk, Brian S. (Research Triangle Institute, USA).
```

Int. Appl. WO 2002022763 A1 20020321, 54 pp. DESIGNATED STATES: W:

```
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO,
CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,
LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD,
SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,
ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG,
CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML,
MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2.
APPLICATION: WO 2001-US26019 20010912. PRIORITY: US 2000-PV232165
20000911.
```

AΒ Hydrocarbon feedstocks for manuf. of fuels and fuel components, esp. gasoline and diesel fuel, are desulfurized by passage through a regenerable sorbent that not only can selectively adsorb sulfur compds. in the feedstock, over an active metal oxide sulfur sorbent, but which also contains a refractory inorg. oxide cracking catalyst support that cracks and decomps. cyclic org. and arom. sulfur The spent sorbents can be regenerated under high-temp. oxidizing conditions to convert metal sulfides (from adsorption and absorption of sulfur compds. on metal oxides or metal promoters) back to the metal oxides with release of sulfur oxides. Suitable metal oxide sorbents/cracking catalysts include alumina, ZnO, zinc aluminate, zinc titanate, zinc aluminate titanate, iron aluminate, ferric oxide, and copper oxide. The method and sorbents are suitable for removal of org. sulfur compds. (e.g., sulfides, disulfides , and arom. sulfides) in sulfur-contq. naphtha and middle distillates.

IT 75-15-0, Carbon disulfide, processes (removal of; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) RN

75-15-0 HCA

Carbon disulfide (8CI, 9CI) CN (CA INDEX NAME)

s== c== s

1309-37-1, Ferric oxide, uses 1314-13-2, Zinc IT oxide, uses 1317-38-0, Copper oxide (CuO), uses 1344-28-1, Alumina, uses 12651-25-1, Zinc titanate 37275-76-6, Zinc aluminate (sorbents contg.; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) 1309-37-1 HCA RN

CN Iron oxide (Fe2O3) (8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN 1314-13-2 HCA
CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

O = Zn

RN 1317-38-0 HCA

CN Copper oxide (CuO) (8CI, 9CI) (CA INDEX NAME)

Cu = 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	 +-	Component Registry Number
	T			
0		x		17778-80-2
Zn	- 1	x	-	7440-66-6
Ti	1	x	1	7440-32-6

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio		Component
		1	1	Registry Number
=========	==+==		===+=	
0	1	X	1	17778-80-2
Zn	1	x	1	7440-66-6
Al	1	X	1	7429-90-5

IC ICM C10G029-16

ICS C10G025-00; C10G025-06; C10G025-12

CC 51-9 (Fossil Fuels, Derivatives, and Related Products)

ST hydrocarbon fuel desulfurization org sulfur gasoline diesel; metal oxide sorbent cracking fuel desulfurization; regenerable metal oxide sorbent cracking catalyst hydrocarbon desulfurization

IT Naphtha

(coker, desulfurization of; regenerable metal oxide and metal-promoted oxides for removal of org.

sulfur compds. in hydrocarbon fuel desulfurization) IT Naphtha (cracked, desulfurization of; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) IT Petroleum products (cycle oils; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) IT Thioethers (cyclic, removal of; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) Diesel fuel IT (desulfurization of components for; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) Gasoline IT (desulfurization of components for; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) IT Naphtha (desulfurization of; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) IT Petroleum refining (desulfurization; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) ΙT Absorbents Adsorbents Sorbents (metal oxides; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization) IT Petroleum products (middle distillates; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur

compds. in hydrocarbon fuel desulfurization)

oxides for removal of org. **sulfur** compds. in hydrocarbon fuel **desulfurization**)

IT Thioethers

(removal of; regenerable **metal oxide** and metal-promoted oxides for removal of org. **sulfur** compds. in hydrocarbon fuel **desulfurization**)

IT Aromatic compounds

Aromatic hydrocarbons, processes

(sulfur-contg., removal of; regenerable metal
oxide and metal-promoted oxides for removal of org.
sulfur compds. in hydrocarbon fuel
desulfurization)

TT 75-08-1, Ethyl mercaptan 75-15-0, Carbon
disulfide, processes 95-15-8, Benzothiophene 107-03-9,
Propyl mercaptan 109-79-5, Butyl mercaptan 110-02-1, Thiophene
110-81-6, Diethyl disulfide 132-65-0, Dibenzothiophene
352-93-2, Diethyl sulfide 872-55-9, 2-Ethylthiophene
(removal of; regenerable metal oxide and
metal-promoted oxides for removal of org. sulfur
compds. in hydrocarbon fuel desulfurization)

1T 1309-37-1, Ferric oxide, uses 1314-13-2, Zinc
 oxide, uses 1317-38-0, Copper oxide (CuO), uses
 1344-28-1, Alumina, uses 12651-25-1, Zinc
 titanate 12678-40-9, Aluminum iron oxide
 37275-76-6, Zinc aluminate 146956-70-9, Aluminum
 titanium zinc oxide

(sorbents contg.; regenerable metal oxide and metal-promoted oxides for removal of org. sulfur compds. in hydrocarbon fuel desulfurization)

L21 ANSWER 10 OF 27 HCA COPYRIGHT 2005 ACS on STN

- 132:279645 Process and catalysts for the selective hydrogenation of highly unsaturated hydrocarbons into less unsaturated hydrocarbons with reduced oligomer formation and reduced catalyst deactivation. Kimble, James B.; Bergmeister, Joseph J. (Phillips Petroleum Company, USA). PCT Int. Appl. WO 2000023403 Al 20000427, 21 pp. DESIGNATED STATES: W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2. APPLICATION: WO 1999-US20152 19990902. PRIORITY: US 1998-176127 19981021.
- AB A supported hydrogenation catalyst compn., comprising palladium, an inorg. support (e.g., alumina), and a selectivity enhancer selected from phosphorus, a phosphorus compd. (e.g., K2HPO4), sulfur

, a **sulfur** compd. (e.g., K2SO4), or combinations of .gtoreq.2 such substances, is described as is the selective hydrogenation of highly unsatd. hydrocarbons such as diolefins (e.g., propadiene) and/or alkynes (e.g., acetylene) with hydrogen into less unsatd. hydrocarbons such as monoolefins (e.g., ethylene) with reduced formation of catalyst-deactivating oligomers.

1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses 11137-98-7, Magnesium aluminate 12651-25-1 , Zinc titanate 13463-67-7, Titania,

uses 37275-76-6, Zinc aluminate

(support; process and catalysts for the selective hydrogenation of highly unsatd. hydrocarbons into less unsatd. hydrocarbons with reduced oligomer formation and reduced catalyst deactivation)

1314-23-4 HCA RN

Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME) CN

o = Zr = 0

IT

1344-28-1 HCA RN

Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

11137-98-7 HCA RN

Aluminum magnesium oxide (9CI) (CA INDEX NAME) CN

Component		Ratio	 R	Component Legistry Number
=========	:=+==:	==========	====+===	==========
0	1	X	1	17778-80-2
Mg	1	X	1	7439-95-4
Al	1	X	1	7429-90-5

RN 12651-25-1 HCA

Titanium zinc oxide (9CI) (CA INDEX NAME) CN

Component	 +	Ratio	 	Component Registry Number
			- -	
0		X		17778-80-2
Zn	- 1	x	-	7440-66-6
Ti	1	X	1	7440-32-6

13463-67-7 HCA RN

Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

0 = Ti = 0

RN 37275-76-6 HCA CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

```
Component |
                     Ratio
                                Component
                                    Registry Number
17778-80-2
                                         7440-66-6
Zn
                      Х
                                 1
                                         7429-90-5
Al
                      х
IC
    ICM C07C005-03
         C07C005-05; C07C005-02; C10G045-00; B01J023-00; B01J023-44;
    ICS
         B01J023-60; B01J027-02; B01J027-053; B01J021-08; B01J021-12;
         B01J027-14; B01J027-185; B01J027-182
    35-2 (Chemistry of Synthetic High Polymers)
CC
    Section cross-reference(s): 23, 67
    7440-05-3, Palladium, uses 7601-54-9, Sodium phosphate
IT
    7704-34-9, Sulfur, uses 7704-34-9D, Sulfur,
    compds., uses 7723-14-0, Phosphorus, uses
                                                7723-14-0D,
    Phosphorus, compds., uses 7757-82-6, Sodium sulfate, uses
    7758-11-4, Dipotassium hydrogenphosphate 7778-53-2, Potassium
    phosphate 7778-80-5, Potassium sulfate, uses
                                                  7783-20-2, Ammonium
                   10124-31-9, Ammonium phosphate
    sulfate, uses
       (process and catalysts for the selective hydrogenation of highly
       unsatd. hydrocarbons into less unsatd. hydrocarbons with reduced
       oligomer formation and reduced catalyst deactivation)
    1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses
IT
    7631-86-9, Silica, uses 11137-98-7, Magnesium
    aluminate 12651-25-1, Zinc
    titanate 13463-67-7, Titania, uses
    37275-76-6, Zinc aluminate
       (support; process and catalysts for the selective hydrogenation
       of highly unsatd. hydrocarbons into less unsatd. hydrocarbons
       with reduced oligomer formation and reduced catalyst
       deactivation)
```

L21 ANSWER 11 OF 27 HCA COPYRIGHT 2005 ACS on STN

131:230266 Process and catalyst for selective hydrogenation of dienes and alkynes to olefins. Cheung, Tin-Tack Peter; Johnson, Marvin Merrill (Phillips Petroleum Company, USA). PCT Int. Appl. WO 9946041 A1 19990916, 48 pp. DESIGNATED STATES: W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML,

MR, NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2. APPLICATION: WO 1999-US5043 19990308. PRIORITY: US 1998-39041 19980313.

AB A supported hydrogenation catalyst compn. is disclosed which comprises a palladium component, at least one alkali metal iodide (such as potassium iodide), and an inorg. support material (such as alumina). The palladium component is concd. in an area within about 150 .mu.m of the exterior surface of the compn.

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses
12651-25-1, Zinc titanate
13463-67-7, Titania, uses 37275-76-6, Zinc
aluminate

(support; supported palladium-alkali iodide catalysts for selective hydrogenation of dienes and alkynes to olefins)

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

0 = Zr = 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 	Ratio] 	Component Registry Number
	==+==	=========	===+=:	
0	1	x	1	17778-80-2
Zn	- 1	x	1	7440-66-6
Ti	Ì	x	Ì	7440-32-6

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

O== Ti== O

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio		Component Registry Number
=========	==+==		===+==	=======================================
0	1.	Х	1	17778-80-2
Zn	1	x	-	7440-66-6
Al	1	X	1	7429-90-5

IT 11113-77-2, Palladium oxide

(supported palladium-alkali iodide catalysts for selective hydrogenation of dienes and alkynes to olefins)

RN 11113-77-2 HCA

CN Palladium oxide (9CI) (CA INDEX NAME)

Component	1	Ratio	1	Component Registry Number
========	==+==	=======================================	===+=	
0	1	х		17778-80-2
Pd	1	x	.	7440-05-3

IC ICM B01J027-13

ICS B01J023-44; C07C005-05; C10G045-50

CC 45-4 (Industrial Organic Chemicals, Leather, Fats, and Waxes) Section cross-reference(s): 23, 35, 67

IT Disulfides

Sulfides, uses

Thiols (organic), uses

(cocatalyst; supported palladium-alkali iodide catalysts for selective hydrogenation of dienes and alkynes to olefins)

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses

7631-86-9, Silica, uses **12651-25-1**, **Zinc**

titanate 13463-67-7, Titania, uses

37275-76-6, Zinc aluminate

(support; supported palladium-alkali iodide catalysts for selective hydrogenation of dienes and alkynes to olefins)

TT 7440-05-3, Palladium, uses 7681-11-0, Potassium iodide, uses 11113-77-2, Palladium oxide

(supported palladium-alkali iodide catalysts for selective hydrogenation of dienes and alkynes to olefins)

L21 ANSWER 12 OF 27 HCA COPYRIGHT 2005 ACS on STN

131:161003 Attrition resistant, zinc titanate
-containing, reduced sulfur sorbents. Vierheilig, Albert
A. (Bulldog Technologies U.S.A., Inc., USA). PCT Int. Appl. WO
9942201 A1 19990826, 69 pp. DESIGNATED STATES: W: AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB,
GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,

LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO,

RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH,

CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR,

NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2.

APPLICATION: WO 1999-US3971 19990224. PRIORITY: US 1998-PV75680 19980224.

AB Reduced sulfur gas species (e.g., H2S,

COS and CS2) are removed from a gas stream by compns. wherein a zinc titanate ingredient is assocd. with a metal oxide-aluminate phase material in the same particle species. 1314-13-2, Zinc oxide, reactions 1344-28-1, ΙT Alumina, reactions 13463-67-7, Titanium oxide, reactions (attrition resistant, zinc titanate-contg., reduced **sulfur** sorbents for treating gases) RN 1314-13-2 HCA Zinc oxide (ZnO) (9CI) (CA INDEX NAME) CN O = Zn1344-28-1 HCA RN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME) CN *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** RN13463-67-7 HCA Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME) CN O=Ti=O IT 75-15-0, Carbon disulfide, processes 463-58-1, Carbonyl sulfide 7783-06-4, Hydrogen sulfide (H2S), processes (attrition resistant, zinc titanate-contg., reduced **sulfur** sorbents for treating gases) RN 75-15-0 HCA Carbon disulfide (8CI, 9CI) (CA INDEX NAME) CN s = c = s463-58-1 HCA RNCN Carbon oxide sulfide (COS) (7CI, 9CI) (CA INDEX NAME) o = c = sRN 7783-06-4 HCA Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME) CN H₂S IT 11104-48-6, Aluminum calcium oxide 11137-98-7,

Aluminum magnesium oxide 12651-25-1, Zinc titanate 37275-76-6, Aluminum zinc oxide (attrition resistant, zinc titanate-contg., reduced sulfur sorbents for treating gases)

RN 11104-48-6 HCA

CN Aluminum calcium oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	 	Component Registry Number
0		x		17778-80-2
Ca	1	x	-	7440-70-2
Al	1	X	1	7429-90-5

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	 !	Ratio	 	Component Registry Number
===========	+			
0	- 1	X	- 1	17778-80-2
Mg	1	X	1	7439-95-4
Al	•	X	1	7429-90-5

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 	Ratio .		Component Registry Number
0	==+== 	x	==+=	17778-80-2
Zn	i	X	.	7440-66-6
Ti	ĺ	x	ĺ	7440-32-6

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio	 	Component Registry Number
=========	==+==:		====+==	
0	1	X	. 1	17778-80-2
Zn	j	X	1	7440-66-6
Al	1	X	1	7429-90-5

IC ICM B01D053-48

ICS B01D053-52; B01D053-83; B01D053-96; B01J020-00; B01J020-02; B01J020-04; B01J020-06; B01J020-30; B01J020-34

CC 59-4 (Air Pollution and Industrial Hygiene)

```
ST
     zinc titanate sulfur compd sorbent
IT
     Coal gas
        (attrition resistant, zinc titanate-contg.,
        reduced sulfur sorbents for treating gases)
IT
     Bentonite, reactions
        (attrition resistant, zinc titanate-contq.,
        reduced sulfur sorbents for treating gases)
IT
     Hydrocarbons, processes
        (gases; attrition resistant, zinc titanate
        -contq., reduced sulfur sorbents for treating gases)
IT
     64-18-6, Formic acid, reactions
                                       142-72-3, Magnesium acetate
     471-34-1, Calcium carbonate, reactions 1314-13-2, Zinc
     oxide, reactions 1344-28-1, Alumina, reactions
     13463-67-7, Titanium oxide, reactions
        (attrition resistant, zinc titanate-contg.,
        reduced sulfur sorbents for treating gases)
IT .
     75-15-0, Carbon disulfide, processes
     463-58-1, Carbonyl sulfide
     7783-06-4, Hydrogen sulfide (H2S
     ), processes
        (attrition resistant, zinc titanate-contg.,
        reduced sulfur sorbents for treating gases)
IT
     11104-48-6, Aluminum calcium oxide 11137-98-7,
     Aluminum magnesium oxide 12651-25-1, Zinc
     titanate 37275-76-6, Aluminum zinc oxide
        (attrition resistant, zinc titanate-contq.,
        reduced sulfur sorbents for treating gases)
     ANSWER 13 OF 27 HCA COPYRIGHT 2005 ACS on STN
L21
130:299194 Process for making and use of anionic clay materials.
     Vierheilig, Albert A. (Bulldog Technologies U.S.A., Inc., USA).
     Int. Appl. WO 9920389 A1 19990429, 81 pp. DESIGNATED STATES: W:
     AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK,
     EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR,
     KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL,
     PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN,
     YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF,
     CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC,
     ML, MR, NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2.
     APPLICATION: WO 1998-US19081 19980915. PRIORITY: US 1997-955017
     19971020.
AB
     Anionic clay compds., such as hydrotalcite-like compds., can be made
     by a process wherein a non-hydrotalcite-like compd. (or a
     hydrotalcite-like compd.) are heat treated and then hydrated to form
     hydrotalcite-like compds. having properties (e.g., increased
     hardness and/or d.) that differ from those of hydrotalcite-like
     compds. made by prior art methods wherein non-hydrotalcite-like
     compds. (or hydrotalcite-like compds.) are not similarly heat
```

treated and hydrated to form such hydrotalcite-like compds.

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses

11104-48-6, Calcium aluminate 11137-98-7

, Magnesium aluminate 12651-25-1, Zinc

titanate 13463-67-7, Titania, uses

(binder; in process for making and use of anionic clay materials)

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

0 = Zr = 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 11104-48-6 HCA

CN Aluminum calcium oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	Component Registry Number
0		x	17778-80-2
Ca	1	X	7440-70-2
Al	1	Х	7429-90-5

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	 +	Ratio	 +-	Component Registry Number
0	, 	x	,	17778-80-2
Mg	ĺ	x	ĺ	7439-95-4
Al	1	x		7429-90-5

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	. 	Ratio		Component Registry Number
0	===+=== 	×	====+==: 	 17778-80-2
Zn	i	X	i	7440-66-6
Ti	I	x		7440-32-6

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = o

IT 1306-38-3, Cerium oxide, uses 1314-62-1, Vanadium pentoxide, uses

(oxidant; process for making and use of anionic clay materials)

RN 1306-38-3 HCA

CN Cerium oxide (CeO2) (8CI, 9CI) (CA INDEX NAME)

0 = Ce = 0

RN 1314-62-1 HCA

CN Vanadium oxide (V2O5) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IC ICM B01J021-16

CC 51-6 (Fossil Fuels, Derivatives, and Related Products) Section cross-reference(s): 49, 67

ST anionic clay material prepn; **sulfur** oxide sorbent FCC hydrotalcite compd

IT Petroleum cracking catalysts

(FCC; process for making and use of anionic clay materials for **SOx** sorbent system)

IT Sorbents

(SOx; process for making and use of anionic clay materials)

IT **1314-23-4**, Zirconia, uses 1335-30-4, Aluminum silicate

1344-28-1, Alumina, uses 7631-86-9, Silica, uses

11104-48-6, Calcium aluminate 11137-98-7

, Magnesium aluminate 12651-25-1, Zinc

titanate 13463-67-7, Titania, uses 21645-51-2,

Aluminum hydroxide, uses 37220-25-0, Aluminum titanate

60800-19-3, Aluminum zirconium oxide

(binder; in process for making and use of anionic clay materials)

IT 7440-45-1D, Cerium, compds., uses 7440-62-2D, Vanadium, compds., uses

(in SOx sorbent prepn.; process for making and use of anionic clay materials)

IT 1306-38-3, Cerium oxide, uses 1314-62-1, Vanadium pentoxide, uses

(oxidant; process for making and use of anionic clay materials)

IT 7446-11-9, **Sulfur** trioxide, processes

(process for making and use of anionic clay materials)

IT 7446-09-5, **Sulfur** oxide, reactions

(process for making and use of anionic clay materials)

L21 ANSWER 14 OF 27 HCA COPYRIGHT 2005 ACS on STN

130:213018 SOx additive systems based upon use of multiple

```
particle species. Demmel, Edward J.; Vierheilig, Albert A.;
     Lippert, Regis B. (Bulldog Technologies U.S.A., Inc., USA).
     Int. Appl. WO 9911372 A1 19990311, 73 pp. DESIGNATED STATES: W:
     AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK,
     EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR,
     KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL,
     PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN,
     YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF,
     CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC,
     ML, MR, NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2.
     APPLICATION: WO 1998-US16635 19980811. PRIORITY: US 1997-922710
     19970903.
     The useful life of SOx additives having a SO2
     .fwdarw.SO3 oxidn. catalyst component and a SO3 absorption component
     can be extended by employing each of these components as sep. and
     distinct phys. particles, pellets, etc.
     1314-62-1, Vanadia, uses
        (sulfur oxide additive system for treatment of
        flue gases)
     1314-62-1 HCA
     Vanadium oxide (V2O5) (8CI, 9CI)
                                       (CA INDEX NAME)
    STRUCTURE DIAGRAM IS NOT AVAILABLE ***
     1305-78-8, Calcium oxide, uses 1306-38-3, Ceria,
     uses 1309-48-4, Magnesium oxide, uses 1314-23-4,
     Zirconia, uses 1344-28-1, Condea P-3, uses
     11104-48-6, Calcium aluminate 11137-98-7
     , Magnesium aluminate 12651-25-1, Titanium zinc
     oxide 13463-67-7, Titania, uses
        (sulfur oxide additive system for treatment of
        flue gases)
     1305-78-8 HCA
     Calcium oxide (CaO) (9CI) (CA INDEX NAME)
Ca = 0
     1306-38-3 HCA
     Cerium oxide (CeO2) (8CI, 9CI) (CA INDEX NAME)
0 = Ce = 0
     1309-48-4
     Magnesium oxide (MgO) (9CI) (CA INDEX NAME)
Mg = 0
```

AB

IT

RN

CN ***

RN

CN

RN

CN

RN

CN

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

0 = Zr = 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 11104-48-6 HCA

CN Aluminum calcium oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	Component Registry Number
==========	+		
0	1	X	17778-80-2
Ca		X	7440-70-2
Al		х	7429-90-5

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	 4	Ratio	 	Component Registry Number
0	+ 	· X	<i></i> -	17778-80-2
Mg	j	X	i	7439-95-4
Αĺ	i	×	ĺ	7429-90-5

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	 	Component Registry Number
==========	==+==	==========	===+==	
0		X		17778-80-2
Zn	- 1	X	1	7440-66-6
Ti	1	x		7440-32-6

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = o

IC ICM B01J031-00

ICS B01J023-00; B01J023-32; B01J023-40; B01J023-58; B01J023-44; B01J023-42; B01J023-70; B01J023-02; B01J021-40; B01J020-10;

B01J020-00; B01J008-00 CC 59-4 (Air Pollution and Industrial Hygiene) ST flue gas treatment sulfur oxide removal; oxidn catalyst sulfur dioxide removal IT Kaolin, processes (RC 32; sulfur oxide additive system for treatment of flue gases) IT Absorbents Flue gases Oxidation catalysts (sulfur oxide additive system for treatment of flue gases) IT 220945-44-8, COP 850 (oxidn. catalyst; sulfur oxide additive system for treatment of flue gases) ΙT **1314-62-1**, Vanadia, uses 7439-88-5, Iridium, uses 7439-89-6, Iron, uses 7439-96-5, Manganese, uses 7439-98-7, Molybdenum, uses 7440-02-0, Nickel, uses 7440-05-3, Palladium, uses 7440-06-4, Platinum, uses 7440-16-6, Rhodium, uses 7440-33-7, Tungsten, uses 7440-45-1, Cerium, uses 7440-47-3, Chromium, uses 7440-48-4, Cobalt, uses 7440-50-8, Copper, uses 7440-61-1, Uranium, uses 7440-62-2, Vanadium, uses 7440-64-4, Ytterbium, uses (sulfur oxide additive system for treatment of flue gases) IT 1299-84-9, Bastnaesite 1305-78-8, Calcium oxide, uses 1306-38-3, Ceria, uses 1309-48-4, Magnesium oxide, uses 1314-23-4, Zirconia, uses 1327-41-9, Aluminum chlorohydrate 1335-30-4, Aluminum silicate 1344-28-1, 7631-86-9, Silica, uses **11104-48-6**, Condea P-3, uses Calcium aluminate 11137-98-7, Magnesium aluminate 12651-25-1, Titanium zinc oxide 12765-06-9, Calcium magnesium silicate **13463-67-7**, Titania, uses 13473-90-0, Aluminum nitrate 21645-51-2, Aluminum hydroxide, uses 37220-25-0, Aluminum titanate 60800-19-3, Aluminum zirconium oxide 63800-37-3, Sepiolite (sulfur oxide additive system for treatment of flue gases) IT 64-18-6, Formic acid, uses 64-19-7, Acetic acid, uses 142-72-3, Magnesium acetate 471-34-1, Calcium carbonate, uses 546-93-0, Magnesium carbonate 557-39-1, Magnesium formate 1309-42-8, Magnesium hydroxide 1343-88-0, Magnesium silicate 7664-38-2, Phosphoric acid, uses 7786-30-3, Magnesium chloride, uses 10377-60-3, Magnesium nitrate 12304-65-3, Hydrotalcite 17309-53-4, Cerium nitrate 124365-05-5, Condea SB

IT 537-01-9, Cerium carbonate 14974-48-2, Vanadium oxalate

flue gases)

(sulfur oxide additive system for treatment of

(**sulfur** oxide additive system for treatment of **flue gases**)

7446-11-9, Sulfur trioxide, processes
 (sulfur oxide additive system for treatment of
 flue gases)

TT 7446-09-5, Sulfur dioxide, processes
 (sulfur oxide additive system for treatment of
 flue gases)

L21 ANSWER 15 OF 27 HCA COPYRIGHT 2005 ACS on STN

129:191120 Method for producing elemental sulfur from
sulfur-containing gases. Dorchak, Thomas P.; Gangwal,
Santosh K.; Harkins, Scott M. (Research Triangle Institute, USA).
U.S. US 5798088 A 19980825, 10 pp., Cont.-in-part of U.S. Ser. No.
298,302, abandoned. (English). CODEN: USXXAM. APPLICATION: US
1995-571118 19951212. PRIORITY: US 1993-40077 19930330; US
1994-298302 19940901.

AB A method for producing elemental sulfur and reduced/oxidized sulfur compds. from sulfur contg. gases is described. The method comprises mixing a primary gas stream of sulfur-contg. gases with a secondary gas stream to produce a combined gas stream having a preselected stoichiometry and contacting the combined gas stream with a catalyst at a pressure of 7 to 100 atm and a temp. of 540.degree. to 700.degree. The catalyst is selected from the group consisting of silica, titania, alumina, sodium/alumina, zinc titanate, alumina or titania promoted with transition metals nickel, cobalt, molybdenum, tungsten, alloys and mixts. thereof and mixt. of such catalysts.

IT 1344-28-1, Aluminum oxide (Al2O3), uses 12651-25-1
, Zinc titanate 13463-67-7, Titanium
 oxide (TiO2), uses

(method for producing elemental sulfur from sulfur-contg. gases)

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	,	Ratio		Component Registry Number
=========	' ==+==		' ===+=	======================================
0	1	x		17778-80-2
Zn		X	1	7440-66-6
Ti	1	Х	. 1	7440-32-6

RN 13463-67-7 HCA

Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME) CN o = Ti = 0IT 463-58-1, Carbonyl sulfide 7783-06-4, Hydrogen sulfide, processes (method for producing elemental sulfur from sulfur-contq. gases) 463-58-1 HCA RN Carbon oxide sulfide (COS) (7CI, 9CI) (CA INDEX NAME) CN o = c = sRN 7783-06-4 HCA Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME) CN H₂S ICM B01D053-50 TC ICS C01B017-04 INCL 423567100 CC 49-1 (Industrial Inorganic Chemicals) Section cross-reference(s): 59 sulfur manuf waste gas treatment STIT Flue gases (industrial flue gases; method for producing elemental **sulfur** from **sulfur**-contq. gases) IT Catalysts Waste gases (method for producing elemental sulfur from sulfur-contg. gases) Transition metals, uses ΙT (method for producing elemental sulfur from sulfur-contg. gases) 1344-28-1, Aluminum oxide (Al2O3), uses 7439-98-7, IT Molybdenum, uses 7440-02-0, Nickel, uses 7440-23-5, Sodium, uses 7440-33-7, Tungsten, uses 7440-48-4, Cobalt, uses 7631-86-9, 7704-34-9, **Sulfur**, uses Silica, uses 11138-49-1, Sodium aluminate 12651-25-1, Zinc titanate 13463-67-7, Titanium oxide (TiO2), uses (method for producing elemental sulfur from sulfur-contg. gases) 463-58-1, Carbonyl sulfide IT 630-08-0, Carbon monoxide, processes 1333-74-0, Hydrogen, processes 7446-09-5, Sulfur dioxide, processes 7783-06-4,

Hydrogen sulfide, processes
 (method for producing elemental sulfur from
 sulfur-contg. gases)

L21 ANSWER 16 OF 27 HCA COPYRIGHT 2005 ACS on STN

129:162763 Manufacture of polyester fiber structures containing two kinds of basic composite oxides as deodorants. Yamamoto, Yoshie; Suzuki, Haruyoshi (Teijin Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 10219563 A2 19980818 Heisei, 4 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1997-20400 19970203.

Title structures, e.g., filaments, ropes, nets, fabrics, etc., contg. 2 kinds of basic composite oxides having different basicity, are manufd. by sep. addn. of the deodorants, i.e., fixing 1 of the oxides on the structures then fixing of the other oxides. Thus, a polyester fabric was impregnated with an aq. dispersion contg. 1.0% polyurethane (I; Elastron MF 25) and 2.0% Ti Zn oxide (Ti:Zn = 1:1; TZ 100, pH 8.5) to 100% resin pick-up, dried at 130.degree. for 3 min, impregnated with another aq. dispersion contg. 1.0% I and 2.0% Mg Al oxide (Mg:Al = 1:1, pH 11.0) to 100% resin pick-up, dried at 130.degree. for 3 min, and heated at 180.degree. for 1 min to give a test piece showing good deodorant effect to NH3, H2S, and MeCHO.

TT 11137-98-7, Aluminum magnesium oxide 12651-25-1,

(deodorants; sep. fixing of composite **metal oxides** as deodorants having different basicity on polyester fiber structures)

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	 	Ratio		Component Registry Number
=========	==+==		===+=	
0		×	1	17778-80-2
Mg		Χ .	1	7439-95-4
Al	1	X	l	7429-90-5

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 1	Ratio	Component Registry Number
==========	==+=:	=======================================	F=====================================
0	- 1	x	17778-80-2
Zn	1	x	7440-66-6
Ti	1	. x	7440-32-6

IC ICM D06M011-45

ICS D06M013-10; D06M015-564

CC 40-9 (Textiles and Fibers)

IT Deodorants

(sep. fixing of composite **metal oxides** as deodorants having different basicity on polyester fiber structures)

IT Polyester fibers, properties

(sep. fixing of composite **metal oxides** as deodorants having different basicity on polyester fiber structures)

IT 152986-99-7, Elastron MF 25

(binders; sep. fixing of composite **metal oxides** as deodorants having different basicity on polyester fiber structures)

IT 11137-98-7, Aluminum magnesium oxide 12651-25-1, TZ 100

(deodorants; sep. fixing of composite **metal oxides** as deodorants having different basicity on polyester fiber structures)

- L21 ANSWER 17 OF 27 HCA COPYRIGHT 2005 ACS on STN
- 128:50588 Reduction of spalling in mixed metal oxide

 desulfurization sorbents by addition of a large promoter

 metal oxide. Poston, James A. (United States

 Dept. of Energy, USA). U.S. US 5693588 A 19971202, 4 pp.

 (English). CODEN: USXXAM. APPLICATION: US 1996-689634 19960816.
- AB Mixed **metal oxide** pellets for removing

hydrogen sulfide from fuel gas

mixts. derived from coal are stabilized for operation over repeated cycles of **desulfurization** and regeneration reactions by addn. of a large promoter **metal oxide**, such as lanthanum trioxide. The pellets, which may be principally made up of a mixed **metal oxide** such as **zinc**

titanate, exhibit phys. stability and lack of spalling or decrepitation over repeated cycles without loss of reactivity. The lanthanum oxide is mixed with sorbent particles and binder, in an amt. of 1-10 wt.%.

1306-38-3, Cerium oxide, uses 1312-81-8, Lanthanum trioxide 1314-23-4, Zirconium oxide, uses 12055-23-1, Hafnium oxide 12651-25-1, Zinc titanate

(spalling elimination in **metal oxide desulfurization** sorbents by addn. of large promoter **metal oxide**)

RN 1306-38-3 HCA

CN Cerium oxide (CeO2) (8CI, 9CI) (CA INDEX NAME)

0= Ce= 0

RN 1312-81-8 HCA

CN Lanthanum oxide (La2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

. 0== Zr== 0

RN 12055-23-1 HCA

CN Hafnium oxide (HfO2) (8CI, 9CI) (CA INDEX NAME)

O = Hf = O

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 +	Ratio	Component Registry Number
0		x	17778-80-2
Zn	i	X	7440-66-6
Ti	İ	Х	7440-32-6

IT 7783-06-4, Hydrogen sulfide, processes

(spalling elimination in metal oxide

desulfurization sorbents by addn. of large promoter
metal oxide)

RN 7783-06-4 HCA

CN Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME)

H₂S

IC ICM B01J020-00

ICS B01J020-02; B01J023-00; B01J020-18

INCL 502400000

CC 51-18 (Fossil Fuels, Derivatives, and Related Products) Section cross-reference(s): 48

ST desulfurization sorbent spalling metal

oxide additive; coal gas

desulfurization sorbent metal oxide;

spalling stability desulfurization sorbent additive

IT Coal gas

Coal gasification

Desulfurization

Sorbents

Spalling

(spalling elimination in metal oxide

desulfurization sorbents by addn. of large promoter
metal oxide)

IT Ferrites

Oxides (inorganic), uses

(spalling elimination in metal oxide

desulfurization sorbents by addn. of large promoter metal oxide)

- 1306-38-3, Cerium oxide, uses 1312-81-8, Lanthanum
 trioxide 1314-23-4, Zirconium oxide, uses 12018-79-0,
 Copper iron oxide 12055-23-1, Hafnium oxide 12063-19-3,
 Zinc ferrite 12651-25-1, Zinc titanate
 12737-81-4 39427-01-5, Copper aluminate
 (spalling elimination in metal oxide
 desulfurization sorbents by addn. of large promoter
 metal oxide)
- L21 ANSWER 18 OF 27 HCA COPYRIGHT 2005 ACS on STN
- 125:176147 Hot gas desulfurization by injection of regenerable sorbents in gasifier-exit ducts. Flytzani-Stephanopoulos, Maria (Massachusetts Institute of Technology, USA). U.S. US 5538703 A 19960723, 9 pp., Cont. of U.S. Ser. No. 145,440, abandoned. (English). CODEN: USXXAM. APPLICATION: US 1995-506125 19950724. PRIORITY: US 1993-145440 19931029.
- AB In the method and system for capturing **H2S** from hot gas streams such as from a coal or other fuel gasifier, zinc or zinc oxide precursors in gas, liq., or fine powder form are injected into the hot duct work of coal gasifier exit after fly ash was removed to react with H2 S gas. In addn. to ZnO **sulfidation**, a portion of the Zn-based reagents converted to the vapor state in the reducing **fuel gas** environment, reacts with

H2S and forms fine ZnS particles that are then collected on a high efficiency, high temp. filter. Periodically, the filter is backflushed, and spent sorbent is collected in a hopper, removed for regeneration, and returned to the injection system.

IT 1314-13-2, Zinc oxide, uses

(hot gas **desulfurization** by injection of regenerable sorbents in gasifier-exit ducts)

RN 1314-13-2 HCA

```
CN
     Zinc oxide (ZnO) (9CI) (CA INDEX NAME)
0 = Zn
ΙT
     75-15-0, Carbon disulfide, processes
     463-58-1, Carbonyl sulfide
     7783-06-4, Hydrogen sulfide (H2S
     ), processes
        (hot gas desulfurization by injection of regenerable
        sorbents in gasifier-exit ducts)
RN
     Carbon disulfide (8CI, 9CI) (CA INDEX NAME)
CN
s = c = s
RN
     463-58-1 HCA
CN
     Carbon oxide sulfide (COS) (7CI, 9CI) (CA INDEX NAME)
o = c = s
     7783-06-4 HCA
RN
CN
     Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME)
H<sub>2</sub>S
     1306-38-3, Ceria, processes 1308-38-9, Chromia,
IT
     processes 1309-48-4, Magnesia, processes 1344-28-1
     , Alumina, processes 13463-67-7, Titania, processes
        (zinc vapor precursor support; hot gas desulfurization
        by injection of regenerable sorbents in gasifier-exit ducts)
     1306-38-3 HCA
RN
     Cerium oxide (CeO2) (8CI, 9CI) (CA INDEX NAME)
CN
0 = Ce = 0
RN
     1308-38-9 HCA
     Chromium oxide (Cr2O3) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
     1309-48-4 HCA
CN
     Magnesium oxide (MgO) (9CI) (CA INDEX NAME)
Mq = 0
```

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = o

IT 12651-25-1, Zinc titanate 37275-76-6, Zinc aluminate

(zinc vapor precursor; hot gas desulfurization

by injection of regenerable sorbents in gasifier-exit ducts)

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	Ratio	Component Registry Number
===========	+================	+= ====== =======
0	x	17778-80-2
Zn	x	7440-66-6
Ti	x	7440-32-6

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component	F	Ratio 	Component Registry Number
	==+=====		
0 .	1	x	17778-80-2
Zn		x	7440-66-6
Al	1	x I	7429-90-5

IC ICM B01D053-52

ICS B01D053-48

INCL 423230000

CC 59-4 (Air Pollution and Industrial Hygiene)

Section cross-reference(s): 51

ST zinc vapor **sulfur** compd removal gasifier

IT Coal gasification

Fuel gas manufacturing

(hot gas desulfurization by injection of regenerable sorbents in gasifier-exit ducts)

IT Zeolites, processes

(zinc vapor precursor support; hot gas desulfurization

by injection of regenerable sorbents in gasifier-exit ducts)

IT 1314-98-3, Zinc sulfide (ZnS), processes

(hot gas **desulfurization** by injection of regenerable sorbents in gasifier-exit ducts)

- IT 1314-13-2, Zinc oxide, uses 7440-66-6, Zinc, uses (hot gas desulfurization by injection of regenerable sorbents in gasifier-exit ducts)
- TT 74-93-1, Methyl mercaptan, processes **75-15-0**, Carbon disulfide, processes **463-58-1**, Carbonyl sulfide 7704-34-9, Sulfur, processes **7783-06-4**, Hydrogen sulfide (H2S), processes

(hot gas **desulfurization** by injection of regenerable sorbents in gasifier-exit ducts)

IT 1306-38-3, Ceria, processes 1308-38-9, Chromia,
 processes 1309-48-4, Magnesia, processes 1344-28-1
 , Alumina, processes 7631-86-9, Silica, processes
13463-67-7, Titania, processes

(zinc vapor precursor support; hot gas desulfurization by injection of regenerable sorbents in gasifier-exit ducts)

17 544-97-8, Dimethyl zinc 557-20-0, Diethyl zinc 557-34-6, Zinc acetate 557-41-5, Zinc formate 3486-35-9, Zinc carbonate 11126-29-7, Zinc silicate 12063-19-3, Zinc ferrite 12651-25-1, Zinc titanate 20427-58-1, Zinc hydroxide 37275-76-6, Zinc aluminate 106218-90-0, Manganese zinc ferrite 131064-29-4, Copper zinc oxide (zinc vapor precursor; hot gas desulfurization by injection of regenerable sorbents in gasifier-exit ducts)

- L21 ANSWER 19 OF 27 HCA COPYRIGHT 2005 ACS on STN

 125:129986 Zinc oxide-based varistor having zinc metal
 oxide highly electrically resistive layer. Matsuyama,
 Yoshiho; Wakahata, Yasuo; Tokunaga, Hideaki (Matsushita Electric Ind
 Co Ltd, Japan). Jpn. Kokai Tokkyo Koho JP 08124720 A2 19960517
 Heisei, 7 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP
 1994-265237 19941028.
- ΑB The varistor comprises a ZnO-based varistor having (A) an electrode on its surface and (B) a highly elec. resistive ZnXO-based layer optionally coated with another elec. resistive BiXO- and/or BXO-based layer (X = Fe, Sb, Ti, and/or Al) on the other surface In the varistor comprising a varistor device, than the electrode. an inner electrode formed inside the device, and an outer electrode elec. connected with the both edges of the inner electrode and facing to a free edge of the inner electrode, the highly elec. resistive layer is formed on the device except on the electrode and also on the outer electrode at ths side facing to the varistor device. The manuf. of the varistor involving formation of the highly elec. resistive layer by firing of X oxide(s) or a soln. of X-contg. metalorg. compd(s) is also claimed. The highly elec. resistive layer shows good chem. and moisture

resistance.

IT 12651-25-1, Titanium zinc oxide 37275-76-6,

Aluminum zinc oxide

(highly elec. resistive layer; zinc oxide-based varistor having zinc **metal oxide** highly elec. resistive layer)

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	Ratio	Component Registry Number
=========	-===========	+=============
0	x	17778-80-2
Zn	х	7440-66-6
Ti	X ·	7440-32-6

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component	ļ	Ratio	ļ	Component
	 ==+==		 ===+==	Registry Number
0	İ	Х	İ	17778-80-2
Zn	ŀ	X	1	7440-66-6
Al		X	1	7429-90-5

IT 1309-37-1, Iron oxide (Fe2O3), uses 1314-13-2,
Zinc oxide, uses 1344-28-1, Alumina, uses
13463-67-7, Titanium oxide, uses

(zinc oxide-based varistor having zinc metal oxide highly elec. resistive layer)

RN 1309-37-1 HCA

CN Iron oxide (Fe2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1314-13-2 HCA

CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

o = Zn

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

o = Ti = o

- IC ICM H01C007-12
- CC 76-2 (Electric Phenomena)
- ST varistor high elec resistive layer; bismuth metal oxide resistive layer varistor; boron metal oxide resistive layer varistor; zinc oxide varistor coating elec resistor
- IT Electric resistors

aluminate

(varistors, zinc oxide-based varistor having zinc metal oxide highly elec. resistive layer)

- IT 7440-22-4, Silver, uses
 - (electrode; zinc oxide-based varistor having zinc metal oxide highly elec. resistive layer)
- 1344-85-0, Aluminum bismuth oxide 11115-71-2, Bismuth titanium oxide 11129-48-9, Iron zinc oxide 12651-25-1, Titanium zinc oxide 37275-76-6, Aluminum zinc oxide 39374-57-7, Bismuth iron oxide 53125-59-0, Antimony zinc oxide 62010-29-1, Antimony bismuth oxide 150261-50-0, Aluminum boron oxide 160501-46-2, Boron titanium oxide 163332-52-3, Boron iron oxide 179730-34-8, Antimony boron oxide

(highly elec. resistive layer; zinc oxide-based varistor having zinc **metal oxide** highly elec. resistive layer)

- IT 1309-37-1, Iron oxide (Fe2O3), uses 1314-13-2,
 Zinc oxide, uses 1327-33-9, Antimony oxide 1344-28-1,
 Alumina, uses 13463-67-7, Titanium oxide, uses
 (zinc oxide-based varistor having zinc metal
 oxide highly elec. resistive layer)
- L21 ANSWER 20 OF 27 HCA COPYRIGHT 2005 ACS on STN
- 124:150582 Catalysts for hydrogenation of diolefins such as 1,3-butadiene. Cheung, Tin-tack P.; Johnson, Marvin M. (Phillips Petroleum Co., USA). U.S. US 5475173 A 19951212, 6 pp. (English). CODEN: USXXAM. APPLICATION: US 1994-277056 19940719.
- AB A supported catalyst compn., which is effective as a diolefin hydrogenation catalyst, comprises palladium or palladium oxide, silver or silver oxide, and an alkali metal fluoride, e.g., potassium fluoride, on a support of alumina, silica, titania, zirconia, aluminosilicates, zinc aluminate, and/or zinc titanate. This catalyst compn. is employed in the selective hydrogenation of C4 -C10 diolefins (preferably 1,3-butadiene) with hydrogen gas to the corresponding monoolefins.
- IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses
 12651-25-1, Zinc titanate
 13463-67-7, Titania, uses 37275-76-6, Zinc

(catalyst support; catalysts for hydrogenation of diolefins such as 1,3-butadiene)

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

o = zr = o

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Cc	omponent	 	Ratio	· ·		Component Registry Number
====	========	+=====		=====	===+==	
0			х		1	17778-80-2
Zn		l	Х].	7440-66-6
\mathtt{Ti}			Х		1	7440-32-6
RN	13463-67-	7 HCA		•		
CN	Titanium o	oxide	(TiO2)	(8CI,	9CI)	(CA INDEX NAME)

o = Ti = o

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component	 4	Ratio	 	Component Registry Number
0	1	x	1	17778-80-2
Zn .		x		7440-66-6
Al	1	x .	-	7429-90-5

IT 1314-08-5, Palladium oxide 20667-12-3, Silver oxide

(catalysts for hydrogenation of diolefins such as 1,3-butadiene)

RN 1314-08-5 HCA

CN Palladium oxide (PdO) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

0=== Pd

RN 20667-12-3 HCA

CN Silver oxide (Ag2O) (8CI, 9CI) (CA INDEX NAME)

Ag- 0- Ag

IT 7783-06-4, Hydrogen sulfide,

miscellaneous

(catalysts for hydrogenation of diolefins such as 1,3-butadiene)

RN 7783-06-4 HCA

CN Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME)

H₂S

IC ICM C07C005-05

INCL 585259000

CC 51-4 (Fossil Fuels, Derivatives, and Related Products)

IT **Sulfides**, miscellaneous

Thiols, miscellaneous

(catalysts for hydrogenation of diolefins such as 1,3-butadiene)

IT 1314-23-4, Zirconia, uses 1344-28-1, Alumina, uses

7631-86-9, Silica, uses **12651-25-1**, **Zinc**

titanate 13463-67-7, Titania, uses

37275-76-6, Zinc aluminate

(catalyst support; catalysts for hydrogenation of diolefins such as 1,3-butadiene)

IT **1314-08-5**, Palladium oxide 7440-05-3, Palladium, uses 7440-22-4, Silver, uses 7789-23-3, Potassium fluoride **20667-12-3**, Silver oxide

(catalysts for hydrogenation of diolefins such as 1,3-butadiene)

IT 630-08-0, Carbon monoxide, miscellaneous **7783-06-4**,

Hydrogen sulfide, miscellaneous

(catalysts for hydrogenation of diolefins such as 1,3-butadiene)

- L21 ANSWER 21 OF 27 HCA COPYRIGHT 2005 ACS on STN
- 115:117215 Sorption of trialkyl arsines. Tooley, Patricia A.; Cheung, Tin Tack P.; Cymbaluk, Ted H.; Nowack, Gerhard P.; Johnson, Marvin M. (Phillips Petroleum Co., USA). U.S. US 5024683 A 19910618, 4 pp. (English). CODEN: USXXAM. APPLICATION: US 1990-537320 19900612.
- Trialkyl arsines are removed from gases, esp. hydrocarbon gases, using solid sorbents comprising .gtoreq.1 Cu sulfide (esp. Cu2S) and an inorg. support (e.g., alumina, ZnO). The alkyl arsines include Me3As, Et3As, Me2EtAs, and MeEt2As. The sorbent contains 1-60 wt.% Cu, esp. 5-30%, and can be prepd. by treating a mixt. contg. CuO and ZnO with gaseous H2S at 20-30.degree..
- IT 1314-13-2, Zinc oxide, uses and miscellaneous 1314-23-4, Zirconia, uses and miscellaneous
 - 1344-28-1, Alumina, uses and miscellaneous

12055-23-1, Hafnia 12651-25-1, Zinc titanate 13463-67-7, Titania, uses and miscellaneous 37275-76-6, Zinc aluminate

(copper **sulfide** sorbent contg., for trialkyl arsines)

RN 1314-13-2 HCA

CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

0 = Zn

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)

o = Zr = 0

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12055-23-1 HCA

CN Hafnium oxide (HfO2) (8CI, 9CI) (CA INDEX NAME)

0 = Hf = 0

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio	 F	Component Registry Number
	==+==		===+===	
0 .	- 1	Χ .	1	17778-80-2
Zn	- 1	X	1	7440-66-6
Ti		X	1	7440-32-6

RN 13463-67-7 HCA

CN Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)

0=Ti=0

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component	Ratio	Component	
. !		Registry Number	
=======================================	-======================================	+==============	=
0	x	17778-80-2	

```
7440-66-6
Zn
                        Х
Al
                        х
                                             7429-90-5
ΙT
     7783-06-4, Hydrogen sulfide, uses and
     miscellaneous
        (in copper sulfide sorbent prepn., for trialkyl
        arsines)
RN
     7783-06-4 HCA
     Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME)
CN
H<sub>2</sub>S
IC
     ICM B01D053-04
INCL 055074000
CC
     48-1 (Unit Operations and Processes)
     Section cross-reference(s): 51
     trialkyl arsine removal hydrocarbon gas; copper sulfide
ST
     sorbent arsine removal
     Alkaline earth compounds
IT
        (aluminates-titanates, copper sulfide sorbent
        contg., for trialkyl arsines)
IT
     Aluminosilicates, uses and miscellaneous
        (copper sulfide sorbent contq., for trialkyl arsines)
IT
     Fuel gases
     Natural gas
        (trialkyl arsines removal from, solid sorbent for)
IT
     7440-44-0, Carbon, uses and miscellaneous
        (activated, copper sulfide sorbent contg., for trialkyl
        arsines)
     1335-30-4
IT
        (aluminosilicates, copper sulfide sorbent contg., for
        trialkyl arsines)
     1314-13-2, Zinc oxide, uses and miscellaneous
IT
     1314-23-4, Zirconia, uses and miscellaneous
     1344-28-1, Alumina, uses and miscellaneous
                                                   7631-86-9,
     Silica, uses and miscellaneous 7784-30-7, Aluminum phosphate
     12055-23-1, Hafnia 12651-25-1, Zinc
     titanate 13463-67-7, Titania, uses and
     miscellaneous 37275-76-6, Zinc aluminate
        (copper sulfide sorbent contg., for trialkyl arsines)
IT
     7783-06-4, Hydrogen sulfide, uses and
     miscellaneous
        (in copper sulfide sorbent prepn., for trialkyl
        arsines)
IT
     593-88-4, Trimethylarsine 617-75-4, Triethylarsine 686-60-2,
     Diethylmethylarsine
                           867-45-8
        (removal of, from hydrocarbon gases, copper sulfide
```

sorbent for)

11115-78-9, Copper **sulfide** 22205-45-4, Copper IT sulfide (Cu2S)

(sorbent, for trialkyl arsines removal, from hydrocarbon gases)

- ANSWER 22 OF 27 HCA COPYRIGHT 2005 ACS on STN
- 114:250168 Manufacture of sulfur from sulfur

-containing gases. Dorchak, Thomas P.; Gangwal, Santosh K.; Harkins, Scott M. (Research Triangle Institute, USA). PCT Int. Appl. WO 9104941 A1 19910418, 27 pp. DESIGNATED STATES: W: CA, JP; RW: AT, BE, CH, DE, DK, ES, FR, GB, IT, LU, NL, SE. (English). CODEN: PIXXD2. APPLICATION: WO 1990-US2765 19900525. PRIORITY: US 1989-415680 19891002.

AΒ The title process comprises contacting a S-contg . primary gas stream with a catalyst selected from SiO2, Al2O3, Na aluminate, Zn ferrite, and/or Zn titanate at .gtorsim.300.degree. and .gtorsim.20 atm. Optionally, the primary gas stream may be mixed with a secondary gas stream prior to being contacted with the catalyst to obtain a combined gas stream having a preselected stoichiometry to facilitate conversion of the gaseous S in the primary gas to elemental S. Primary gas stream contg. predominantly oxidized S gases is mixed with a reducing secondary gas stream, and vice versa.

1344-28-1, Alumina, uses and miscellaneous IT

12651-25-1, Zinc titanate

(catalyst, in solid sulfur manuf. from sulfur -contg. gases)

1344-28-1 HCA RN

Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME) CN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

12651-25-1 HCA RN

Titanium zinc oxide (9CI) (CA INDEX NAME) CN

Componer	nt 	Ratio	Component Registry Number	_
				_
0	1	Х	17778-80-2	
Zn	1	X	7440-66-6	
Ti	I	X	7440-32-6	
TC TCM	C01B017=0	Λ		

- ICM C01B017-04
- 49-1 (Industrial Inorganic Chemicals) CC
- ST sulfur manuf combustion gas; silica catalyst sulfur manuf; alumina catalyst sulfur manuf; sodium aluminate catalyst sulfur manuf; zinc ferrite catalyst sulfur manuf; zinc titanate catalyst sulfur manuf
- Catalysts and Catalysis IT

(Claus-type, in solid sulfur manuf. from sulfur -contg. gases) IT 1344-28-1, Alumina, uses and miscellaneous 7631-86-9, Silica, uses and miscellaneous 11129-48-9, Iron zinc oxide 11138-49-1, Sodium aluminate 12651-25-1, Zinc titanate (catalyst, in solid sulfur manuf. from sulfur -contg. gases) 7704-34-9P, Sulfur, preparation IT(manuf. of solid, from sulfur-contq., gases, catalyst in) ANSWER 23 OF 27 HCA COPYRIGHT 2005 ACS on STN L21 114:105479 Bench-scale testing of novel high-temperature desulfurization sorbents: final report. Gangwal, S. K.; Harkins, S. M.; Stogner, J. M.; Woods, M. C.; Rogers, T. N. (Res. Triangle Inst., Research Triangle Park, NC, USA). Report, DOE/MC/23126-2662; Order No. DE89000935, 203 pp. Avail. NTIS Energy Res. Abstr. 1989, 14(14), Abstr. No. 27830 (English) 1988. Extrudates of regenerable mixed-metal oxide AΒ sorbents including In ferrite, Cu-modified In ferrite, Zn titanate, Cu aluminate, CuFe aluminate, and Cu manganate were prepd. and tested for their potential to remove H2S from coal gasifier gas in a high-temp. high-pressure fixed-bed reactor. The Zn contg. sorbents were more promising than those contg. combinations of Cu, Al, Fe, and Mg. Redns. in H2S concn. were achieved depending on sorbent, reactor temp., and steam concn. The Cu-modified Zn ferrite sorbent reduced the H2S concn. to <1 ppmv at .ltoreq.1100.degree.F with 20 vol.% steam in the gas. ferrite sorbent showed no apparent loss in capacity over 15 sulfidation-regeneration cycles but underwent significant strength redn. in a coal-derived gas with 15% or less steam due to soot formation. Zn titanate exhibited excellent strength and capacity retention at steam levels as low as 5% and .ltoreq.1350.degree.F. IT 7783-06-4, Hydrogen sulfide, uses and miscellaneous (removal of, high-temp., from coal gas, mixed metal oxide sorbents for) RN 7783-06-4 HCA Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME) CN

H₂S

IT 12651-25-1, Zinc titanate (sorbents, for high-temp. hydrogen sulfide

removal, from coal gas)

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	. 	Ratio		Component Registry Number
	=+===		====+=:	
0		X		17778-80-2
Zn	-	X		7440-66-6
Ti		X	1	7440-32-6

- CC 51-20 (Fossil Fuels, Derivatives, and Related Products)
- ST coal fuel gas desulfurization

sorbent; metal oxide mixed sorbent

IT Coal gasification

(desulfurization in, high-temp., mixed metal oxide sorbents for)

IT Sorbents

(metal oxides, mixed, for high-temp.
hydrogen sulfide removal, from coal
qas)

IT Fuel gases

(coal gas, hydrogen sulfide

removal from, mixed metal oxide sorbents for)

IT 7783-06-4, Hydrogen sulfide, uses and

miscellaneous

(removal of, high-temp., from coal gas, mixed metal oxide sorbents for)

IT 11129-48-9, Iron zinc oxide 11129-48-9D, Iron zinc oxide, copper
modified 12651-25-1, Zinc titanate
39374-66-8, Copper manganese oxide 39427-01-5, Copper
aluminate 132359-33-2, Aluminum copper iron oxide

(sorbents, for high-temp. hydrogen sulfide removal, from coal gas)

- L21 ANSWER 24 OF 27 HCA COPYRIGHT 2005 ACS on STN
- 114:46336 Sorption and detection of trialkyl arsines. Tooley, Patricia A.; Nowack, Gerhard P. (Phillips Petroleum Co., USA). U.S. US 4971608 A 19901120, 4 pp. (English). CODEN: USXXAM. APPLICATION: US 1989-446238 19891205.
- AB Trialkyl arsines are removed from fluids, esp. gases (e.g., natural gas), by contacting with a solid sorbent material contg. >1 Au component (preferably AuCl and/or AuCl3 and/or NH4AuCl4) and a support material (preferably Al2O3 and/or SiO2). This process can be used for colorimetrically detecting the presence of arsines in gases.
- IT 12651-25-1, Zinc titanate 37275-76-6, Zinc aluminate

(activated, support, gold-promoted sorbents contg., for removal of trialkyl arsines, from hydrocarbon-contg. fluids)

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio	Component Registry Number
	==+==		===+===========
0	1	x	17778-80-2
Zn	1	X	7440-66-6
Ti	1	x	7440-32-6

RN 37275-76-6 HCA

CN Aluminum zinc oxide (9CI) (CA INDEX NAME)

Component		Ratio		Component Registry Number
=========	==+==		===+=	
0		X	1	17778-80-2
Zn		X	1	7440-66-6
Al		X		7429-90-5

IT 7783-06-4P, Hydrogen sulfide,

preparation

(gases contg., trialkyl arsine removal in, by gold-promoted sorbents)

RN 7783-06-4 HCA

CN Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME)

H₂S

1314-13-2, Zinc oxide (ZnO), uses and miscellaneous
1317-36-8, Lead oxide (PbO), uses and miscellaneous
1317-38-0, Copper oxide (CuO), uses and miscellaneous
(guard bed sorbents contg., in removal of trialkyl arsines from natural gas)

RN 1314-13-2 HCA

CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

O = Zn

RN 1317-36-8 HCA

CN Lead oxide (PbO) (8CI, 9CI) (CA INDEX NAME)

0=== Pb

```
RN
      1317-38-0 HCA
      Copper oxide (CuO) (8CI, 9CI) (CA INDEX NAME)
 CN
 Cu = 0
      1314-23-4, Zirconia, uses and miscellaneous
·IT
      1344-28-1D, Alumina, fluorided 12055-23-1, Hafnia
      13463-67-7, Titanium oxide (TiO2), uses and miscellaneous
         (support, gold-promoted sorbents contg., for removal of trialkyl
         arsines, from hydrocarbon-contg. fluids)
 RN
      1314-23-4 HCA
      Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)
 CN
 o = Zr = 0
      1344-28-1 HCA
 RN
 CN
      Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)
 *** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
 RN
      12055-23-1 HCA
      Hafnium oxide (HfO2) (8CI, 9CI) (CA INDEX NAME)
 CN
0 = Hf = 0
 RN
      13463-67-7 HCA
   Titanium oxide (TiO2) (8CI, 9CI) (CA INDEX NAME)
 CN
O== Ti== O
 IC
      ICM B01D053-04
 INCL 055072000
      51-5 (Fossil Fuels, Derivatives, and Related Products)
CC
 IT
      7440-44-0, Carbon, uses and miscellaneous 12651-25-1,
      Zinc titanate 37275-76-6, Zinc
      aluminate
         (activated, support, gold-promoted sorbents contg., for removal
         of trialkyl arsines, from hydrocarbon-contq. fluids)
      7783-06-4P, Hydrogen sulfide,
IT
      preparation
         (gases contg., trialkyl arsine removal in, by gold-promoted
         sorbents)
IT
      1314-13-2, Zinc oxide (ZnO), uses and miscellaneous
      1317-36-8, Lead oxide (PbO), uses and miscellaneous
      1317-38-0, Copper oxide (CuO), uses and miscellaneous
```

(guard bed sorbents contg., in removal of trialkyl arsines from natural gas)

1314-23-4, Zirconia, uses and miscellaneous
1344-28-1D, Alumina, fluorided 7631-86-9, Silica, uses and
miscellaneous 7631-86-9D, Silica, fluorided 7784-30-7, Aluminum
phosphate 12055-23-1, Hafnia 13463-67-7,
Titanium oxide (TiO2), uses and miscellaneous
(support, gold-promoted sorbents contg., for removal of trialkyl
arsines, from hydrocarbon-contg. fluids)

L21 ANSWER 25 OF 27 HCA COPYRIGHT 2005 ACS on STN
111:10031 Testing of novel sorbents for hydrogen
sulfide removal from coal gas. Gangwal,
S. K.; Stogner, J. M.; Harkins, S. M.; Bossart, S. J. (Research
Triangle Inst., Research Triangle Park, NC, 27709, USA).
Environmental Progress, 8(1), 26-34 (English) 1989. CODEN: ENVPDI.
ISSN: 0278-4491.

AΒ Application of zinc ferrite, a regenerable mixed metal oxide, for the removal of H2S from hot coal-derived gas streams is limited to <677.degree. and to **H2S** concn. .gtoreq.5 ppm in the cleaned gas. Four novel sorbents that showed potential for overcoming the limitations of zinc ferrite were selected for development and bench-scale testing. Several variations of these mixed metal oxides were prepd. with different amts. of binders. They were tested in the presence of simulated coal gas in a thermogravimetric reactor for selection of prepn. possessing an adequate combination of reactivity, regeneration , capacity, and strength. bench-scale tests were conducted in the presence of simulated fluidized-bed coal gasifier product gases at 1-2 MPa, 525-625.degree., and space velocities 1000-3000 m3/m3-h. 12036-43-0, Titanium zinc oxide (TiZnO3) ΙT

(absorbents, for hydrogen sulfide removal, from hot coal gases, evaluation of)

RN 12036-43-0 HCA

CN Titanium zinc oxide (TiZnO3) (9CI) (CA INDEX NAME)

Component	† 	Ratio	Component Registry Number
============	==+==		==+============
0		. 3	17778-80-2
Zn	i i	1	7440-66-6
Ti	- 1	1	7440-32-6

IT 7783-06-4, Hydrogen sulfide, uses and miscellaneous

(removal of, from hot coal gases, absorbents

for, evaluation of) RN 7783-06-4 HCA Hydrogen sulfide (H2S) (8CI, 9CI) (CA INDEX NAME) CN H₂S CC 51-20 (Fossil Fuels, Derivatives, and Related Products) ST coal gas hydrogen disulfide sorbent; copper iron zinc oxide adsorbent IT Absorbents (for hydrogen sulfide, from hot coal gases, evaluation of) IT Fuel gases (coal gas, hydrogen sulfide removal from, absorbents for, evaluation of) **12036-43-0**, Titanium zinc oxide (TiZnO3) 12042-92-1, IT 120897-59-8, Copper iron zinc Copper aluminate (CuAl204) 121111-38-4, Aluminum copper iron oxide oxide (CuFe2ZnO5) (Al2CuFe207) (absorbents, for hydrogen sulfide removal, from hot coal gases, evaluation of) IT 7783-06-4, Hydrogen sulfide, uses and miscellaneous (removal of, from hot coal gases, absorbents for, evaluation of) L21 ANSWER 26 OF 27 HCA COPYRIGHT 2005 ACS on STN 110:64679 Method of computation of enthalpy increment of crystalline inorganic compounds at 298.15 K. Bagdavadze, D. I.; Tsagareishvili, D. Sh.; Tskhadaya, R. A.; Gvelesiani, G. G. (Inst. Metall., Tbilisi, USSR). Izvestiya Akademii Nauk Gruzinskoi SSR, Seriya Khimicheskaya, 14(3), 199-206 (Russian) 1988. CODEN: IGSKDH. 0132-6074. A method was developed for the calcn. of the enthalpy increments of AΒ inorg. compds. at 0-298.15 K. From enthalpy data, entropy values A table of calcd. and exptl. values (from literature) are calcd. for the enthalpies and entropies of over 200 compds. is presented. 1304-28-5, Barium oxide, properties 1304-56-9, ITBeryllium oxide 1305-78-8, Calcium oxide, properties 1306-38-3, Cerium dioxide, properties 1308-06-1, Cobalt oxide (Co3O4) 1308-38-9, Chromia, properties 1309-37-1, Ferric oxide, properties 1309-48-4, Magnesium oxide, properties 1310-53-8, Germanium dioxide, properties 1312-81-8, Lanthanum oxide (la203)

1313-13-9, Manganese dioxide, properties 1313-27-5, Molybdenum trioxide, properties 1313-60-6, Disodium

dioxide 1313-96-8, Diniobium pentoxide 1313-99-1

```
, Nickel oxide, properties 1314-11-0, Strontium oxide,
     properties 1314-13-2, Zinc oxide, properties
     1314-34-7, Divanadium trioxide 1314-35-8, Tungsten
     trioxide, properties 1314-61-0, Ditantalum pentoxide
     1317-34-6, Manganese oxide (Mn2O3) 1317-35-7,
     Manganese oxide (Mn3O4) 1317-36-8, Lead oxide, properties
     1317-38-0, Cupric oxide, properties 1317-39-1,
     Cuprous oxide, properties 1317-61-9, Iron oxide (Fe304),
     properties 1344-28-1, Alumina, properties
     1344-43-0, Manganese monoxide, properties 1344-54-3
     , Dititanium trioxide 1345-25-1, Ferrous oxide, properties
     12034-59-2, Niobium dioxide 12035-97-1, Uranium
     oxide (UO) 12035-98-2, Vanadium monoxide
     12036-22-5, Tungsten dioxide 12036-69-0, Titanium
     zinc oxide (TiZn2O4) 12036-83-8, Vanadium oxide (V3O5)
     12057-24-8, Dilithium oxide, properties 12065-65-5
     , Titanium oxide (Ti3O5) 12137-20-1, Titanium monoxide
     18868-43-4, Molybdenum dioxide
        (enthalpy and entropy of)
     1304-28-5 HCA
     Barium oxide (BaO) (9CI) (CA INDEX NAME)
Ba = 0
     1304-56-9 HCA
     Beryllium oxide (BeO) (9CI) (CA INDEX NAME)
Be = 0
     1305-78-8 HCA
     Calcium oxide (CaO) (9CI) (CA INDEX NAME)
Ca == 0
     1306-38-3 HCA
     Cerium oxide (CeO2) (8CI, 9CI) (CA INDEX NAME)
0= Ce=0
     1308-06-1 HCA
     Cobalt oxide (Co3O4) (8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
     1308-38-9 HCA
    Chromium oxide (Cr2O3) (8CI, 9CI) (CA INDEX NAME)
```

RN

CN

RN

CN

RN

CN

RN

CN

RN CN

RN

CN

```
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
     1309-37-1 HCA
     Iron oxide (Fe2O3) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
     1309-48-4 HCA
RN
     Magnesium oxide (MgO) (9CI) (CA INDEX NAME)
CN
Mq = 0
RN
     1310-53-8 HCA
     Germanium oxide (GeO2) (8CI, 9CI) (CA INDEX NAME)
CN
0= Ge= 0
RN
     1312-81-8 HCA
    Lanthanum oxide (La2O3) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
    1313-13-9 HCA
     Manganese oxide (MnO2) (8CI, 9CI) (CA INDEX NAME)
CN
O = Mn = O
RN
     1313-27-5 HCA
   Molybdenum oxide (MoO3) (7CI, 8CI, 9CI) (CA INDEX NAME)
CN
    0
0 = M_0 = 0
RN
    1313-60-6 HCA
    Sodium peroxide (Na2(O2)) (8CI, 9CI) (CA INDEX NAME)
Na-0-0-Na
RN
     1313-96-8 HCA
    Niobium oxide (Nb2O5) (8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
    1313-99-1 HCA
RN
CN
    Nickel oxide (NiO) (8CI, 9CI) (CA INDEX NAME)
Ni = 0
```

```
1314-11-0 HCA
RN
     Strontium oxide (SrO) (6CI, 8CI, 9CI) (CA INDEX NAME)
CN
0== Sr
RN
     1314-13-2 HCA
     Zinc oxide (ZnO) (9CI) (CA INDEX NAME)
CN
O = Zn
RN
     1314-34-7 HCA
CN
     Vanadium oxide (V2O3) (8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
    1314-35-8 HCA
CN
     Tungsten oxide (WO3) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)
O = W = O
     1314-61-0 HCA
RN
     Tantalum oxide (Ta2O5) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
    1317-34-6 HCA
    Manganese oxide (Mn2O3) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
    1317-35-7 HCA
     Manganese oxide (Mn3O4) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
     1317-36-8 HCA
RN
     Lead oxide (PbO) (8CI, 9CI) (CA INDEX NAME)
CN
0=== Pb
RN
     1317-38-0 HCA
     Copper oxide (CuO) (8CI, 9CI) (CA INDEX NAME)
CN
Cu = 0
RN
     1317-39-1 HCA
CN
     Copper oxide (Cu2O) (8CI, 9CI) (CA INDEX NAME)
```

Cu- 0- Cu RN 1317-61-9 HCA Iron oxide (Fe304) (8CI, 9CI) (CA INDEX NAME) *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** 1344-28-1 HCA RN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME) CN *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** RN1344-43-0 HCA Manganese oxide (MnO) (8CI, 9CI) (CA INDEX NAME) CN Mn = 01344-54-3 HCA RNTitanium oxide (Ti2O3) (8CI, 9CI) (CA INDEX NAME) CN *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** 1345-25-1 HCA RN Iron oxide (FeO) (8CI, 9CI) (CA INDEX NAME) CN Fe== 0 RN 12034-59-2 HCA Niobium oxide (NbO2) (7CI, 8CI, 9CI) (CA INDEX NAME) CN 0 = Nb = 0RN12035-97-1 HCA Uranium oxide (UO) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME) CN 0 = URN 12035-98-2 HCA Vanadium oxide (VO) (6CI, 8CI, 9CI) (CA INDEX NAME) CN o = vRN 12036-22-5 HCA Tungsten oxide (WO2) (6CI, 8CI, 9CI) (CA INDEX NAME) CN

0 = W = 0

RN 12036-69-0 HCA

CN Titanium zinc oxide (TiZn2O4) (9CI) (CA INDEX NAME)

Component	1	Ratio		Component
	. 1		1	Registry Number
=========	==+==		===+==	
0	1	4		17778-80-2
Zn	1	. 2	1	7440-66-6
Ti	1	1	1	7440-32-6

RN 12036-83-8 HCA

CN Vanadium oxide (V3O5) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

Component	1	Ratio	1	Component
	 +	· 	 4-	Registry Number
			·+-	15550
O	١.	5	ı	17778-80-2
V	1	3	1	7440-62-2

RN 12057-24-8 HCA

CN Lithium oxide (Li2O) (8CI, 9CI) (CA INDEX NAME)

Li-o-Li

RN 12065-65-5 HCA

CN Titanium oxide (Ti3O5) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

Component	 	Ratio	Component Registry Number
O Ti	-=+= 	5 3	17778-80-2 7440-32-6

RN 12137-20-1 HCA

CN Titanium oxide (TiO) (8CI, 9CI) (CA INDEX NAME)

O== Ti

RN 18868-43-4 HCA

CN Molybdenum oxide (MoO2) (8CI, 9CI) (CA INDEX NAME)

 $0 = M_0 = 0$

CC 69-2 (Thermodynamics, Thermochemistry, and Thermal Properties)

1299-86-1, Aluminum carbide 409-21-2, Silicon carbide, properties IT 1303-11-3, Indium arsenide, properties 1302-42-7 1303-86-2, Boron oxide (B2O3), properties 1304-28-5, Barium oxide, properties 1304-56-9, Beryllium oxide 1305-78-8, Calcium oxide, properties 1306-23-6, Cadmium sulfide (CdS), properties 1306-38-3, Cerium dioxide, properties 1308-06-1, Cobalt oxide (Co304) 1308-31-2, Chromite (Cr2FeO4) **1308-38-9**, Chromia, properties 1309-37-1, Ferric oxide, properties 1309-48-4, Magnesium oxide, properties 1310-52-7, Magnesium germanide 1310-53-8, Germanium dioxide, 1312-41-0, Indium antimonide, properties properties 1312-81-8, Lanthanum oxide (la203) 1313-13-9, Manganese dioxide, properties 1313-27-5, Molybdenum trioxide, properties 1313-60-6, Disodium dioxide 1313-96-8, Diniobium pentoxide 1313-99-1, Nickel oxide, properties 1314-11-0, Strontium oxide, properties 1314-13-2, Zinc oxide, properties 1314-34-7, Divanadium trioxide 1314-35-8, Tungsten trioxide, properties 1314-61-0, Ditantalum pentoxide 1314-95-0, Tin sulfide (SnS) 1314-98-3, Zinc sulfide, properties 1315-11-3, Zinc telluride 1317-34-6, Manganese oxide (Mn2O3) 1317-35-7, Manganese oxide (Mn3O4) 1317-36-8, Lead oxide, properties 1317-38-0, Cupric oxide, properties 1317-39-1, Cuprous oxide, properties 1317-61-9, Iron oxide (Fe304), properties 1344-28-1, Alumina, properties 1344-43-0, Manganese monoxide, properties 1344-54-3, Dititanium trioxide 1345-25-1, Ferrous oxide, properties 6834-92-0 7446-70-0, Aluminum chloride, properties 7447-40-7, Potassium chloride, properties 7447-41-8, Lithium chloride, properties 7631-86-9, Silica, properties 7647-14-5, Sodium chloride, 7647-15-6, Sodium bromide, properties 7647-17-8, properties Cesium chloride, properties 7681-11-0, Potassium iodide, 7681-49-4, Sodium fluoride, properties properties 7681-82-5, Sodium iodide, properties 7705-08-0, Iron trichloride, properties 7758-02-3, Potassium bromide, properties 7758-94-3, Iron 7759-00-4, Manganese silicate (MnSiO3) 7759-01-5, Lead tungsten oxide (PbWO4) 7773-01-5, Manganese chloride 7783-40-6, Magnesium fluoride 7775-19-1, Sodium borate (NaBO2) 7784-30-7, Aluminum phosphate (AlPO4) 7786-30-3, Magnesium chloride, properties 7787-32-8, Barium fluoride 7789-23-3, Potassium fluoride 7789-24-4, Lithium fluoride, properties 7790-75-2, Calcium tungstate 7789-82-4 7790-76-3 10034-77-2, Calcium silicate (Ca2SiO4) 10034-94-3, Magnesium silicate 10043-11-5, Boron nitride, properties 10043-52-4, Calcium chloride (CaCl2), properties 10099-76-0, Lead silicate 10101-52-7, Zirconium silicate 10102-24-6, Lithium (PbSiO3)

```
10179-73-4, Iron silicate (Fe2SiO4)
silicate (Li2SiO3)
10190-55-3, Lead molybdenum oxide (PbMoO4) 10361-37-2, Barium
                                   11138-42-4, Mercury selenide
chloride, properties
                      11081-91-7
12002-99-2, Silver telluride (Ag2Te)
                                      12003-67-7
                                                   12004-06-7.
Beryllium aluminate (BeAl2O4) 12004-39-6, Aluminum
                          12004-88-5 12005-57-1
titanium oxide (Al2TiO5)
                                                    12007-25-9,
                    12007-29-3, Niobium diboride
Magnesium diboride
                                                   12008-21-8,
Lanthanum hexaboride
                      12009-63-1
                                   12011-67-5, Iron carbide (Fe3C)
12011-99-3, Diniobium monocarbide
                                   12012-35-0, Chromium carbide
                      12015-73-5, Calcium fluoride phosphate
(Cr3C2) 12013-62-6
(Ca5F(PO4)3)
              12017-11-7, Monocobalt monosilicide
                                                   12017-12-8,
Cobalt disilicide
                   12017-38-8, Cobalt titanium oxide (Co2TiO4)
12018-08-5, Monochromium monosilicide
                                       12018-09-6, Chromium
                               12018-36-9, Trichromium monosilicide
silicide (CrSi2)
                  12018-17-6
                                       12018-75-6, Copper iron
12018-42-7, Pentachromium trisilicide
oxide (CuFeO2)
               12018-79-0, Copper iron oxide (CuFe2O4)
12022-71-8, Iron titanium oxide (FeTiO3)
                                          12022-94-5, Iron
diselenide 12022-99-0, Iron silicide (FeSi2)
                                                12023-03-9, Iron
             12023-27-7, Iron titanium oxide (Fe2TiO5)
ditelluride
12023-54-0, Iron silicide (Fe3Si)
                                   12023-77-7, Iron silicide
                      12027-83-7
(Fe5Si3)
          12026-18-5
                                    12031-82-2
                                                 12032-30-3
12032-35-8 12032-36-9, Magnesium sulfide
                                            12032-52-9
12032-74-5, Manganese titanium oxide (MnTiO3)
                                               12032-85-8,
Manganese silicide (MnSi) 12033-10-2, Pentamanganese trisilicide
12033-37-3, Trimolybdenum monosilicide
                                       12033-43-1, Niobium nitride
        12034-34-3 12034-59-2, Niobium dioxide
12035-57-3, Nickel silicide 12035-59-5, Nickel telluride (NiTe2)
12035-97-1, Uranium oxide (UO) 12035-98-2,
Vanadium monoxide 12036-22-5, Tungsten dioxide
12036-69-0, Titanium zinc oxide (TiZn2O4) 12036-83-8
, Vanadium oxide (V3O5) 12039-13-3, Titanium sulfide
12039-52-0, Thallium selenide (TlSe)
                                     12039-76-8, Trivanadium
monosilicide
              12039-87-1, Monovanadium disilicide
                                                    12042-68-1
            12045-63-5, Titanium diboride 12045-64-6, Zirconium
12042-78-3
diboride
          12047-27-7, Titanate (TiO32-) barium (1:1), properties
            12052-28-7, Cobalt iron oxide (CoFe204)
12049-50-2
12057-24-8, Dilithium oxide, properties 12060-59-2
12063-19-3, Iron zinc oxide (Fe2ZnO4)
                                       12063-27-3, Ferric
         12063-98-8, Gallium phosphide, properties
sulfide
                                                 12068-48-3
12065-65-5, Titanium oxide (Ti305)
                                   12068-46-1
            12068-85-8, Iron sulfide (FeS2)
                                              12068-90-5,
12068-51-8
                   12069-32-8, Tetraboron monocarbide
Mercury telluride
                                                        12069-89-5,
Dimolybdenum monocarbide
                          12070-06-3, Tantalum carbide
12070-07-4, Ditantalum monocarbide
                                    12070-08-5, Titanium carbide
12070-14-3, Zirconium carbide (ZrC) 12075-40-0, Chromium carbide
        12105-81-6, Chromium carbide (Cr23C6) 12125-23-4,
(Cr7C3)
Manganese disulfide 12137-20-1, Titanium
monoxide 12141-46-7, Aluminum silicate (Al2SiO5) 12142-65-3,
```

12160-20-2, Iron titanium oxide Lanthanum vanadium oxide (LaVO3) 12163-59-6, Trimanganese monosilicide 12168-54-6, Iron nickel oxide (Fe2NiO4) 12168-85-3, Calcium silicate (Ca3SiO5) 12187-31-4, Cobalt iron oxide (Co2FeO4) 12252-50-5 Beryllium aluminate (BeAl6010) 12254-07-8 12254-17-0 13453-69-5, Lithium borate (LiBO2) 13472-45-2, Sodium tungstate 13550-26-0, Calcium silicate 13477-19-5, Cadmium silicate (CdSiO3) 13566-17-1, Lead silicate (Pb2SiO4) (Ca3Si2O7) 13568-63-3 13573-11-0, Magnesium tungstate 13573-13-2 13573-15-4 13597-16-5 13597-65-4, Zinc silicate (Zn2SiO4) 13718-70-2, Iron 13721-39-6 13767-03-8 molybdenum oxide (FeMoO4) 13776-74-4 13859-99-9, Lanthanum molybdenum oxide (La2Mo3012) 13870-24-1, Iron tungsten oxide (FeWO4) 15191-85-2, Beryllium silicate (Be2SiO4) 18820-29-6, Manganese monosulfide **18868-43-4**, Molybdenum dioxide 20548-54-3, Calcium sulfide 21109-95-5, Barium **sulfide** 24304-00-5, Aluminum nitride 24621-21-4, Niobium nitride 25583-20-4, 25658-42-8, Zirconium nitride (ZrN) 37342-39-5 Titanium nitride 58942-78-2, Aluminum iron oxide (AlFe2O4) 112837-53-3, Manganese silicide (MnSi1.7) 118589-37-0 (enthalpy and entropy of)

L21 ANSWER 27 OF 27 HCA COPYRIGHT 2005 ACS on STN 108:84267 The lanthanides' nephelauxetic effect revisited. Antic-Fidancev, E.; Lemaitre-Blaise, M.; Caro, P. (Lab. Bellevue, CNRS, Meudon-Bellevue, 92195, Fr.). New Journal of Chemistry, 11(6), 467-72 (English) 1987. CODEN: NJCHE5. ISSN: 1144-0546. New exptl. data are given for the small change, called nephelauxetic AB effect, in the energy levels positions in the solid state for Nd (112 crystallog. sites) and Gd (34 crystallog. sites). The effect depends on structure and chem. nature of the material. It is attributed to change in free atom parameters of the 4fN configuration. From known crystal field parameters, it is shown that there is no correlation with crystal field strength and chem. bonding parameters. Theor. interpretations are reviewed, none is quant. satisfactory. The understanding of the relationship of the nephelauxetic effect with structure remains a theor. challenge. 1312-81-8, Lanthanum oxide (La2O3) IT(nephelauxetic effect in gadolinium ion-doped) RN1312-81-8 HCA CN Lanthanum oxide (La2O3) (8CI, 9CI) (CA INDEX NAME) STRUCTURE DIAGRAM IS NOT AVAILABLE *** ***

1309-64-4, Antimony oxide (Sb2O3), properties
1313-97-9, Neodymium oxide (Nd2O3) 1314-13-2, Zinc
oxide, properties 1314-23-4, properties 1314-36-9
, Yttrium oxide (Y2O3), properties 12024-21-4, Gallium
oxide (Ga2O3) 12064-62-9
(nephelauxetic effect in glass contg.)

```
RN
      1309-64-4 HCA
 CN
      Antimony oxide (Sb2O3) (8CI, 9CI) (CA INDEX NAME)
 *** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
      1313-97-9 HCA
 RN
 CN
      Neodymium oxide (Nd2O3) (7CI, 8CI, 9CI) (CA INDEX NAME)
 ***
    STRUCTURE DIAGRAM IS NOT AVAILABLE ***
      1314-13-2 HCA
 RN
 CN
      Zinc oxide (ZnO) (9CI) (CA INDEX NAME)
 O = Zn
 RN
      1314-23-4 HCA
 CN
      Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)
o = Zr = 0
RN
      1314-36-9 HCA
 CN
      Yttrium oxide (Y2O3) (8CI, 9CI) (CA INDEX NAME)
 *** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
      12024-21-4 HCA
RN
CN
     Gallium oxide (Ga2O3) (8CI, 9CI) (CA INDEX NAME)
 *** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
      12064-62-9 HCA
      Gadolinium oxide (Gd2O3) (8CI, 9CI) (CA INDEX NAME)
CN
 ***
    STRUCTURE DIAGRAM IS NOT AVAILABLE ***
CC
      73-1 (Optical, Electron, and Mass Spectroscopy and Other Related
      Properties)
IT
      12024-72-5
                   12034-54-7, Neodymium niobate (NdNbO4)
                                                            12063-81-9,
     Gadolinium gallate (GdGaO3) 12207-22-6, Neodymium gallate (NdGaO3)
      12339-07-0, Gadolinium oxysulfide (Gd202S)
                                                   13477-90-2,
                                        13721-46-5, Neodymium vanadate
     Neodymium molybdate (Nd2(MoO4)3)
               13759-21-2, Gadolinium oxychloride (GdOCl) 13990-54-0,
      (NdVO4)
     Yttrium phosphate (YPO4)
                                54812-70-3, Potassium neodymium phosphate
                    59858-92-3, Neodymium gallate (Nd4Ga2O9)
      (K3Nd(PO4)2)
      59859-07-3, Neodymium aluminate (Nd4Al2O9)
                                                   60606-37-3,
     Neodymium phosphate (Nd3PO7)
                                   71384-19-5, Potassium gadolinium
     phosphate (K3Gd(PO4)2) 72007-59-1, Sodium neodymium vanadate
      (Na3Nd(VO4)2)
                     82658-18-2, Neodymium barium zincate (Nd4Ba2Zn2O10)
     112873-26-4, Calcium neodymium zinc titanate
      (CaNd2ZnTi2O9)
         (nephelauxetic effect in)
IT
     1312-81-8, Lanthanum oxide (La2O3)
         (nephelauxetic effect in gadolinium ion-doped)
     1309-64-4, Antimony oxide (Sb2O3), properties
·IT
     1313-97-9, Neodymium oxide (Nd2O3) 1314-13-2, Zinc
     oxide, properties 1314-23-4, properties 1314-36-9
```

, Yttrium oxide (Y2O3), properties 7440-00-8, Neodymium, properties 7440-54-2, Gadolinium, properties 7783-64-4 7787-32-8 12024-21-4, Gallium oxide (Ga2O3) 12064-62-9 12183-53-8, Gadolinium germanate (Gd2Ge2O7) 13709-42-7, Neodymium trifluoride 13709-59-6, Thorium tetrafluoride

(nephelauxetic effect in glass contg.)
IT 12003-44-0, Gadolinium aluminate (GdAlO3) 12165-42-3,
 Zirconium scandate (Zr3Sc4O12) 13939-40-7 37233-67-3
 55859-86-4, Sodium gadolinium phosphate (Na3Gd(PO4)2) 58572-23-9,
 Lanthanum phosphate (La3PO7) 58572-33-1 60606-12-4, Erbium
 phosphate (Er3PO7) 87843-98-9, Gadolinium barium zincate
 (Gd2BaZnO5) 112872-87-4

(nephelauxetic effect in lanthanide ion-doped)

- => d 122 1-40 ti
- L22 ANSWER 1 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Apparatus for analyzing mixtures of gases
- L22 ANSWER 2 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Preparation of 1,1-bis(4-aminophenyl)-3-alkylcyclohexanes from cashew nut shell liquid
- L22 ANSWER 3 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Acetylene chemoselective hydrogenation catalyst with segregated palladium skin for the manufacture of ethylene
- L22 ANSWER 4 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Dielectric ceramic composition for laminated ceramic parts
- L22 ANSWER 5 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Dielectric ceramic compositions for high frequency use
- L22 ANSWER 6 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Method and apparatus for analyzing mixtures of gases
- L22 ANSWER 7 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Apparatus for analyzing mixtures of gases
- L22 ANSWER 8 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Nonwoven fabrics and porous film containing inorganic type antibacterial agents with good safety and deodorant property
- L22 ANSWER 9 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Zinc anode for alkaline secondary batteries

- L22 ANSWER 10 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Method and apparatus for analyzing mixtures of gases
- L22 ANSWER 11 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Mechanisms for the glycothermal synthesis of mixed oxides
- L22 ANSWER 12 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Supported catalysts for the selective hydrogenation of alkynes and dienes
- L22 ANSWER 13 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Preparation of an improved catalyst containing zeolite treated with boron trichloride and its use in conversion of hydrocarbons
- L22 ANSWER 14 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Hydrocarbon hydrogenation and catalyst therefor
- L22 ANSWER 15 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Haze-free glazed panel with thermally stable multilayer coating
- L22 ANSWER 16 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Zeolite material, a method of making such improved zeolite material and the use thereof in the conversion of nonaromatic hydrocarbons to aromatics and light olefins
- L22 ANSWER 17 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Transparent, high strain point spinel glass-ceramics
- L22 ANSWER 18 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Composition useful for hydrocarbon conversion process and preparation thereof
- L22 ANSWER 19 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Palladium-based selective catalysts for hydrogenation of alkadienes and alkynes in olefinic processing streams
- L22 ANSWER 20 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Preparation of nano-composite oxides by gas evaporation technique
- L22 ANSWER 21 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Hydrogenation of diolefins to monoolefins and catalysts therefor
- L22 ANSWER 22 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Sorbents for the removal of cyclopentadiene from dicyclopentadiene
- L22 ANSWER 23 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Microstructure and optical absorption spectra of transparent

glass-ceramics containing zinc aluminate:chromium(3+)

- L22 ANSWER 24 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Optical properties of materials for optical amplifiers at 1.3 .mu.M
- L22 ANSWER 25 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Dehydrogenation catalyst preparation
- L22 ANSWER 26 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Removal of trialkyl arsine from fluids
- L22 ANSWER 27 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Manufacture of alumina-based ceramics, the ceramics obtained, and their usey as powdered or bonded abrasives and as cutting tools
- L22 ANSWER 28 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Catalytic reforming
- L22 ANSWER 29 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Solid phase reactions between zinc, titanium, and aluminum oxides and the properties of materials based on their compositions
- L22 ANSWER 30 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Thermodynamics of formation of simple spinels
- L22 ANSWER 31 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI , Crystal chemistry and some magnetic properties of mixed metal oxides with spinel structure
- L22 ANSWER 32 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Order/disorder and infrared absorption. IV. The absorption of some **metal oxides** with spinel structure
- L22 ANSWER 33 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Dysprosium oxide ceramics
- L22 ANSWER 34 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Low-temperature heat capacities of copper ferrites (with a summary of entropies at 298.15.degree.K. of spinel minerals
- L22 ANSWER 35 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Some features of the motion of rapid current carriers in polar crystals
- L22 ANSWER 36 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI New pigments
- L22 ANSWER 37 OF 40 HCA COPYRIGHT 2005 ACS on STN

- TI Constitution and color of inorganic solids
- L22 ANSWER 38 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Color and constitution of inorganic compounds
- L22 ANSWER 39 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Oxidic semiconductors
- L22 ANSWER 40 OF 40 HCA COPYRIGHT 2005 ACS on STN
- TI Physical and crystallographical properties of some spinels

```
= d 122 1,6,7,10,28 cbib abs hitstr hitind
```

- L22 ANSWER 1 OF 40 HCA COPYRIGHT 2005 ACS on STN
- 141:300286 Apparatus for analyzing mixtures of gases. Morris, Patricia A.; McCarron, Eugene Michael, III; Piovoso, Michael Joseph (E.I. Dupont de Nemours and Company, USA). PCT Int. Appl. WO 2004086021 A2 20041007, 89 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2004-US9537 20040426. PRIORITY: US 2003-PV457754 20030326; US 2003-PV457761 20030326.
- AB Disclosed herein is a an app. for analyzing, sensing and/or measuring information related to the presence and/or concns. of various gases, including NOx, ammonia, hydrocarbons, carbon monoxide and oxygen, in a multi-component gas system using chem. sensors and chem. sensor arrays. The sensors and sensor arrays use chemo/electro-active materials to analyze and/or detect the presence of gases.
- RN 1306-38-3 HCA
- CN Cerium oxide (CeO2) (8CI, 9CI) (CA INDEX NAME)

```
0== Ce==0
```

RN 1313-96-8 HCA
CN Niobium oxide (Nb2O5) (8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1313-97-9 HCA

CN Neodymium oxide (Nd2O3) (7CI, 8CI, 9CI) (CA INDEX NAME)
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1313-99-1 HCA

CN Nickel oxide (NiO) (8CI, 9CI) (CA INDEX NAME)

Ni = 0

RN 1314-13-2 HCA

CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

0=== Zn

RN 1314-35-8 HCA

CN Tungsten oxide (WO3) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

RN 1314-61-0 HCA

CN Tantalum oxide (Ta2O5) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1344-28-1 HCA

CN Aluminum oxide (Al2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12024-21-4 HCA

CN Gallium oxide (Ga2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12036-32-7 HCA

CN Praseodymium oxide (Pr2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

Component		Ratio	 	Component Registry Number
0 Pr	 	3 2	 	17778-80-2 7440-10-0

12651-25-1 HCA RN

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

· Coi	mponent	Rati	o 		omponent stry Number
0		x		 	17778-80-2
Zn		X			7440-66-6
Ti		l x		i	7440-32-6
RN	13463-67-				
CN	Titanium	oxide (TiO2)	(8CI, 90	CI) (CA	INDEX NAME)

O== Ti== O

RN 39354-08-0 HCA

Aluminum nickel oxide (9CI) (CA INDEX NAME) CN

Component		Ratio	 	Component Registry Number
===========	==+==		===+=	===========
0	1	X	1	17778-80-2
Ni	1	Χ .	1	7440-02-0
Al.	1 .	X	1	7429-90-5

·IC ICM G01N027-00

59-1 (Air Pollution and Industrial Hygiene) CC

IT 1306-38-3, Ceria, uses 1313-96-8, Niobium oxide 1313-97-9, Neodymium oxide 1313-99-1, Nickel oxide, uses 1314-13-2, Zinc oxide, uses 1314-35-8 , Tungsten oxide, uses 1314-61-0, Tantalum oxide 1327-33-9, Antimony oxide 1332-29-2, Tin oxide 1332-37-2, Iron oxide, uses 1344-28-1, Alumina, uses 1344-70-3, Copper oxide 7439-89-6, Iron, uses 11118-57-3, Chromium oxide 11129-60-5, Manganese oxide **12024-21-4**, Gallium oxide 12036-32-7, Praseodymium oxide 12651-25-1, Titanium zinc oxide 12673-86-8, Antimony tin oxide 12789-64-9, Iron titanium oxide 13463-67-7, Titanium oxide, uses 37268-49-8, Niobium titanium oxide 37268-50-1, Niobium tungsten 39336-05-5, Chromium yttrium oxide **39354-08-0**, Aluminum nickel oxide 39432-73-0, Chromium manganese oxide 54990-20-4, Manganese titanium oxide 59141-86-5, Copper lanthanum 60866-78-6, Tantalum titanium oxide 100438-91-3, Nickel 130025-53-5, Iron lanthanum oxide zinc oxide 152417-16-8, Copper gallium oxide 215023-19-1, Neodymium strontium oxide 244049-38-5, Gallium titanium zinc oxide 415707-67-4, Niobium titanium zinc oxide

(app. for analyzing mixts. of gases)

```
ANSWER 6 OF 40 HCA COPYRIGHT 2005 ACS on STN
L22
140:116229 Method and apparatus for analyzing mixtures of gases.
     Morris, Patricia A. (E. I. Du Pont De Nemours and Company, USA).
     U.S. Pat. Appl. Publ. US 2004013571 A1 20040122, 27 pp.,
     Cont.-in-part of U.S. Ser. No. 977,791.
                                              (English). CODEN: USXXCO.
     APPLICATION: US 2002-117472 20020405. PRIORITY: US 2000-PV240619
     20001016; US 2000-PV246946 20001109; US 2001-977791 20011015.
     Disclosed herein is a method and app. for analyzing, sensing and
AB
     measuring information related to the concns. of various gases,
     including NOx , hydrocarbons, carbon monoxide and oxygen, in a
     multi-component gas system using chem. sensors and chem. sensor
     arrays. The sensors and sensor arrays use chemo/electro-active
     materials to analyze and detect the presence of gases.
     1309-37-1, Ferric oxide, uses 1313-96-8, Niobium
IT
     oxide 1313-99-1, Nickel oxide (NiO), uses
     1314-13-2, Zinc oxide, uses 1314-23-4, Zirconium
     oxide, uses 1314-35-8, Tungsten oxide (WO3), uses
     1314-37-0, Ytterbium oxide (Yb2O3) 1314-61-0,
     Tantalum oxide 1317-38-0, Cupric oxide, uses
     1317-39-1, Cuprous oxide, uses 11137-98-7,
     Aluminum magnesium oxide 12024-21-4, Gallium oxide
     12036-32-7, Praseodymium oxide 12036-43-0,
     Titanium zinc oxide (TiZnO3) 12036-44-1, Thulium oxide
     (Tm2O3) 12037-29-5, Praseodymium oxide (Pr6O11)
     12651-25-1, Titanium zinc oxide 13463-67-7,
     Titanium oxide (TiO2), uses 18282-10-5, Tin oxide (SnO2)
     39354-08-0, Aluminum nickel oxide
        (method and app. for analyzing mixts. of gases using
        semiconductor gas sensor arrays)
RN
     1309-37-1 HCA
                                    (CA INDEX NAME)
CN
     Iron oxide (Fe2O3) (8CI, 9CI)
    STRUCTURE DIAGRAM IS NOT AVAILABLE ***
     1313-96-8 HCA
RN
CN
     Niobium oxide (Nb2O5) (8CI, 9CI) (CA INDEX NAME)
* * *
    STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
     1313-99-1 HCA
     Nickel oxide (NiO) (8CI, 9CI) (CA INDEX NAME)
CN
Ni = 0
     1314-13-2 HCA
RN
     Zinc oxide (ZnO) (9CI) (CA INDEX NAME)
CN
```

RN 1314-23-4 HCA

CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME).

o = zr = o

RN 1314-35-8 HCA

CN Tungsten oxide (WO3) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

0 = 0 0 = 0

RN 1314-37-0 HCA

CN Ytterbium oxide (Yb2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1314-61-0 HCA

CN Tantalum oxide (Ta2O5) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1317-38-0 HCA

CN Copper oxide (CuO) (8CI, 9CI) (CA INDEX NAME)

Cu = 0

RN 1317-39-1 HCA

CN Copper oxide (Cu2O) (8CI, 9CI) (CA INDEX NAME)

Cu- 0- Cu

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	 +	Ratio	 R	Component egistry Number
	T			
0	1	· X	1	17778-80-2
Mg	1	X		7439-95-4
Al .	1	X		7429-90-5

RN 12024-21-4 HCA

CN Gallium oxide (Ga2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12036-32-7 HCA

CN Praseodymium oxide (Pr2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

Component	t Rati	io	Component Registry Number	
O Pr	3 2		17778-80-2 7440-10-0	==
	-43-0 HCA ium zinc oxide	(TiZnO3) (90	CI) (CA INDEX NAI	ME)
Component	Rati	io	Component Registry Number	·
O Zn Ti	3 1 1	. 	17778-80-2 7440-66-6 7440-32-6	- -
CN Thuling *** STRUCTURN 12037- CN Prasect *** STRUCTURN 12651-	JRE DIAGRAM IS N -29-5 HCA	NOT AVAILABI Pr6011) (6CI NOT AVAILABI	, 8CI, 9CI) (CA E ***	
Component	Rati	LO	Component Registry Number	
O Zn Ti	x x x		17778-80-2 7440-66-6 7440-32-6	==
	-67-7 HCA Lum oxide (TiO2)	(8CI, 9CI)	(CA INDEX NAME))
O=Ti=O				
RN 18282- CN Tin ox	-10-5 HCA kide (SnO2) (8CI	I, 9CI) (CA	INDEX NAME)	
0=== Sn=== 0				
	-08-0 HCA num nickel oxide	e (9CI) (CA	. INDEX NAME)	

```
Component
                     Ratio
                                        Component
                                     Registry Number
0
                                          17778-80-2
                       Х
Ni
                                          7440-02-0
                       Х
                                          7429-90-5
Al
                       Х
IC
    ICM G01N031-12
    ICS G01N027-00
INCL 422094000; 422098000
CC
    59-1 (Air Pollution and Industrial Hygiene)
    Section cross-reference(s): 76
IT
    1309-37-1, Ferric oxide, uses 1313-96-8, Niobium
    oxide 1313-99-1, Nickel oxide (NiO), uses
    1314-13-2, Zinc oxide, uses 1314-23-4, Zirconium
    oxide, uses 1314-35-8, Tungsten oxide (WO3), uses
    1314-37-0, Ytterbium oxide (Yb2O3) 1314-61-0,
    Tantalum oxide 1317-38-0, Cupric oxide, uses
    1317-39-1, Cuprous oxide, uses 1332-29-2, Tin oxide
    1332-37-2, Iron oxide, uses 1344-41-8, Lead tin oxide 1344-70-3,
                   10101-58-3, Cobalt tungsten oxide
    Copper oxide
                                                       11075-35-7,
    Titanium vanadium oxide 11104-61-3, Cobalt oxide
                                                         11104-65-7,
                          11113-58-9, Cobalt vanadium oxide
    Chromium copper oxide
    11113-84-1, Ruthenium oxide 11115-97-2, Iron molybdenum oxide
    11126-28-6, Titanium tungsten oxide 11129-18-3, Cerium oxide
    11129-48-9, Iron zinc oxide 11137-98-7, Aluminum magnesium
           12009-18-6, Barium tin oxide 12013-46-6, Calcium tin oxide
    12018-79-0, Copper iron oxide 12022-43-4, Iron lanthanum oxide
     (FeLaO3)
              12022-71-8, Iron titanium oxide (FeTiO3)
                              12032-74-5, Manganese titanium
    12024-21-4, Gallium oxide
    oxide (MnTiO3)
                    12034-89-8, Strontium niobate (SrNb206)
    12036-32-7, Praseodymium oxide 12036-43-0,
    Titanium zinc oxide (TiZnO3) 12036-44-1, Thulium oxide
     (Tm2O3) 12O37-29-5, Praseodymium oxide (Pr6O11)
    12053-92-8, Copper lanthanum oxide (CuLa204)
                                                  12060-59-2, Strontium
    titanate (SrTiO3) 12068-51-8, Aluminum magnesium oxide (Al2MgO4)
    12168-54-6, Iron nickel oxide (Fe2NiO4) 12263-02-4, Copper iron
    manganese oxide (CuFeMnO4) 12517-25-8, Copper gallium oxide
    (CuGaO2) 12527-64-9, Copper strontium oxide (Cu2SrO2)
    12610-16-1, Lead molybdenum oxide 12626-96-9, Nickel niobium oxide
    12643-01-5, Cerium vanadium oxide 12651-22-8, Tin tungsten oxide
    12651-25-1, Titanium zinc oxide 12672-48-9, Chromium
    silicon oxide
                    12673-59-5, Niobium strontium oxide
                                                          12673-86-8,
                        12673-88-0, Molybdenum tin oxide
                                                            12678-40-9,
    Antimony tin oxide
    Aluminum iron oxide 12687-47-7, Chromium nickel oxide
    12707-85-6, Iron nickel oxide 12738-08-8, Molybdenum titanium
    oxide 12771-04-9, Iron tungsten oxide 12777-45-6, Bismuth tin
            12777-52-5, Chromium strontium titanium oxide
    oxide
```

12777-79-6, Iron tin oxide 12777-94-5, Chromium Cobalt tin oxide lanthanum oxide 12778-05-1, Nickel tin oxide 12789-64-9, Iron titanium oxide 12795-57-2, Strontium titanium oxide 13463-67-7, Titanium oxide (TiO2), uses 13530-56-8, Aluminum vanadium oxide (AlVO4) 13597-19-8, Cerium vanadium oxide 15578-31-1, Vanadium zinc oxide (V2Zn2O7) **18282-10-5**, Tin oxide (SnO2) 26110-64-5, Copper iron oxide (CuFeO4) 37220-25-0, Aluminum titanium oxide 37267-30-4, Chromium manganese oxide (CrMnO3) 37268-49-8, Niobium titanium 37268-50-1, Niobium tungsten oxide 37321-15-6, Nickel silicon oxide 37323-29-8, Niobium strontium tungsten oxide 37349-60-3, Tantalum tin oxide 37368-09-5, Titanium zirconium 37368-10-8, Aluminum vanadium oxide 39290-95-4, Tungsten 39322-06-0, Tungsten zinc oxide 39336-05-5, zirconium oxide Chromium yttrium oxide 39345-88-5, Niobium zirconium oxide 39354-08-0, Aluminum nickel oxide 39361-81-4, Iron 39361-86-9, Nickel zirconium oxide zirconium oxide 39406-95-6, 39432-73-0, Chromium manganese oxide Cerium titanium oxide 39467-15-7, Silicon tungsten oxide 39455-59-9, Cobalt zinc oxide 39467-17-9, Tin zinc oxide 50922-29-7, Chromium zinc oxide 50925-72-9, Bismuth zinc oxide 50926-11-9, Indium tin oxide 51312-37-9, Rubidium tungsten oxide 51683-41-1, Vanadium zirconium 52337-09-4, Silicon titanium oxide 53125-59-0, Antimony 53801-91-5, Chromium titanium oxide 53807-65-1, Zinc zinc oxide zirconium oxide 53809-60-2, Calcium zinc oxide 54242-92-1, Barium zinc oxide 54413-02-4, Niobium potassium oxide 54427-12-2, Lead zinc oxide 54990-20-4, Manganese titanium oxide 54991-58-1, Aluminum chromium oxide 55030-80-3, Gallium lanthanum 56997-34-3, Cadmium tin oxide 56997-35-4, Gallium iron 57348-59-1, Barium copper oxide 58500-36-0, Iron niobium oxide 58500-37-1, Manganese niobium oxide 58500-40-6, Silicon oxide 58834-07-4, Cerium niobium oxide 58984-36-4, Cobalt tin oxide 59141-86-5, Copper lanthanum oxide 59656-34-7, lanthanum oxide 59707-45-8, Lanthanum manganese sodium oxide Cerium iron oxide 59707-46-9, Lanthanum manganese strontium oxide 60842-54-8, Iron niobium titanium oxide 60861-12-3, Copper nickel oxide 60861-14-5, Manganese zinc oxide 60866-78-6, Tantalum titanium 64417-98-7, Yttrium 61583-60-6, Molybdenum zinc oxide zirconium oxide 65232-86-2, Copper iron manganese oxide 65453-20-5, Cobalt magnesium oxide 65453-29-4, Copper titanium 66579-84-8, Cobalt copper 65983-12-2, Vanadium zinc oxide oxide 67182-14-3, Bismuth ruthenium oxide 74463-16-4, Barium oxide copper oxide (Ba2Cu2O5) 77649-65-1, Molybdenum rubidium oxide 100438-91-3, Nickel zinc oxide 102055-22-1, Aluminum magnesium zinc oxide 108658-67-9, Copper lanthanum strontium oxide 111569-09-6, Scandium zirconium oxide 115493-79-3, Copper lead 119000-05-4, Copper strontium oxide 119325-55-2, Barium copper oxide (BaCuO2.5) 123213-50-3, Tin zirconium oxide

127031-04-3, Gallium tin oxide 127989-52-0, Manganese tin oxide 130025-53-5, Iron lanthanum oxide 131064-29-4, Copper zinc oxide 132084-94-7, Niobium strontium titanium oxide 133174-46-6, 134883-93-5, Copper zirconium oxide Ruthenium zinc oxide 139920-08-4, Tin titanium oxide 141618-04-4, Ruthenium tin oxide 144972-85-0, Barium copper titanium oxide 145055-25-0, Strontium titanium vanadium oxide 147182-48-7, Titanium zinc oxide (Ti0.2Zn0.801.2) 149661-61-0, Tantalum zirconium oxide 149887-77-4, Copper tin oxide 152417-16-8, Copper gallium oxide 156202-38-9, Calcium 154104-21-9, Cobalt nickel zirconium oxide cerium zirconium oxide 157822-53-2, Aluminum silicon vanadium 158970-04-8, Manganese strontium titanium oxide 159747-44-1, Silicon zinc oxide 173478-78-9, Cobalt nickel 174420-43-0, Manganese yttrium oxide titanium oxide 175615-66-4, Iron tungsten zirconium oxide 184588-38-3, Iron strontium titanium 188840-02-0, Nickel strontium titanium oxide 196820-06-1, 236103-74-5, Cobalt lead oxide Cobalt lead zinc oxide 237750-29-7, Nickel yttrium oxide 244049-38-5, Gallium titanium 251973-57-6, Iron tantalum titanium oxide zinc oxide 267225-50-3, Cobalt niobium oxide 331412-51-2, Cadmium zinc oxide 371789-91-2, Tin tungsten zinc oxide 415707-58-3, Cobalt germanium 415707-59-4, Copper sodium oxide 415707-60-7, Germanium niobium oxide 415707-61-8, Germanium titanium oxide 415707-62-9, Ruthenium tungsten oxide 415707-63-0, Tantalum zinc oxide 415707-64-1, Cobalt lead tin oxide 415707-65-2, Iron lead zinc 415707-66-3, Lead molybdenum zinc oxide 415707-67-4, Niobium titanium zinc oxide 415707-68-5, Strontium titanium zinc oxide 415707-69-6, Titanium tungsten zirconium oxide 415707-70-9, Copper iron manganese oxide (CuFe2MnO4) (method and app. for analyzing mixts. of gases using semiconductor gas sensor arrays)

ANSWER 7 OF 40 HCA COPYRIGHT 2005 ACS on STN 139:311278 Apparatus for analyzing mixtures of gases. Morris, Patricia A. (E. I. Du Pont de Nemours & Co., USA). PCT Int. Appl. WO 2003087811 A1 20031023, 98 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2002-US12839 20020405. Disclosed herein is a method and app. for analyzing, sensing and AB measuring information related to the concns. of various gases, including NOx, hydrocarbons, carbon monoxide and oxygen, in a multi-component gas system using chem. sensor arrays. The sensors

```
arrays use chemo-electro-active materials to analyze and detect the
     presence of gases.
     1309-37-1, Ferric oxide, uses 1313-96-8, Niobium
IT
     oxide 1313-99-1, Nickel oxide (NiO), uses
     1314-13-2, Zinc oxide, uses 1314-23-4, Zirconium
     oxide, uses 1314-35-8, Tungsten oxide (WO3), uses
     1314-37-0, Ytterbium oxide (Yb2O3) 1314-61-0,
     Tantalum oxide 1317-38-0, Cupric oxide, uses
     1317-39-1, Cuprous oxide, uses 11137-98-7,
     Aluminum magnesium oxide 12024-21-4, Gallium oxide
     12036-32-7, Praseodymium oxide 12036-43-0,
     Titanium zinc oxide (TiZnO3) 12036-44-1, Thulium oxide
     (Tm2O3) 12O37-29-5, Praseodymium oxide (Pr6O11)
     12651-25-1, Titanium zinc oxide 13463-67-7,
     Titanium oxide (TiO2), uses 18282-10-5, Tin oxide (SnO2)
     39354-08-0, Aluminum nickel oxide
        (method and app. for analyzing mixts. of gases using
        semiconductor gas sensor arrays)
     1309-37-1 HCA
RN
     Iron oxide (Fe2O3) (8CI, 9CI) (CA INDEX NAME)
CN
    STRUCTURE DIAGRAM IS NOT AVAILABLE ***
RN
     1313-96-8 HCA
     Niobium oxide (Nb2O5) (8CI, 9CI) (CA INDEX NAME)
CN
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
     1313-99-1
RN
               HCA
CN
     Nickel oxide (NiO) (8CI, 9CI) (CA INDEX NAME)
Ni = 0
RN
     1314-13-2 HCA
CN
     Zinc oxide (ZnO) (9CI) (CA INDEX NAME)
0 = Zn
RN
     1314-23-4 HCA
     Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME)
CN
0 = Zr = 0
RN
     1314-35-8 HCA
     Tungsten oxide (WO3) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)
CN
```

```
0
|
|
|
|
|
```

RN 1314-37-0 HCA

CN Ytterbium oxide (Yb2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1314-61-0 HCA

CN Tantalum oxide (Ta2O5) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 1317-38-0 HCA

CN Copper oxide (CuO) (8CI, 9CI) (CA INDEX NAME)

Cu = 0

RN 1317-39-1 HCA

CN Copper oxide (Cu2O) (8CI, 9CI) (CA INDEX NAME)

Cu- 0- Cu

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	Ratio 	Component Registry Number
	+	+
0	l x	17778-80-2
Mg	l x	7439-95-4
Al	l x	7429-90-5

RN 12024-21-4 HCA

CN Gallium oxide (Ga2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12036-32-7 HCA

CN Praseodymium oxide (Pr2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

Component	1	Ratio		Component Registry Number
==========	==+==		===+=:	
0	1	3	i	17778-80-2
Pr	1	2	1	7440-10-0 ⁻

RN 12036-43-0 HCA

CN Titanium zinc oxide (TiZnO3) (9CI) (CA INDEX NAME)

Component	Ratio	Component Registry Number	
O Zn Ti .	3 1 1	17778-80-2 7440-66-6 7440-32-6	
*** STRUCTURE RN 12037-29- CN Praseodyn *** STRUCTURE RN 12651-25-	oxide (Tm2O3) (6CI, DIAGRAM IS NOT AVA -5 HCA nium oxide (Pr6O11) DIAGRAM IS NOT AVA	(6CI, 8CI, 9CI) (CA INDEX I	NAME)
Component	Ratio	Component Registry Number	
O Zn Ti	x x x	===+==================================	
RN 13463-67- CN Titanium		9CI) (CA INDEX NAME)	
0=Ti=0			
RN 18282-10- CN Tin oxide	-5 HCA e (SnO2) (8CI, 9CI)	(CA INDEX NAME)	
0			
RN 39354-08- CN Aluminum	-0 HCA nickel oxide (9CI)	(CA INDEX NAME)	
Component	Ratio	Component Registry Number	
O Ni Al	x x x	+	
IC ICM G01N			

59-1 (Air Pollution and Industrial Hygiene) CC IT1309-37-1, Ferric oxide, uses 1313-96-8, Niobium oxide 1313-99-1, Nickel oxide (NiO), uses 1314-13-2, Zinc oxide, uses 1314-23-4, Zirconium oxide, uses 1314-35-8, Tungsten oxide (WO3), uses 1314-37-0, Ytterbium oxide (Yb203) 1314-61-0, Tantalum oxide 1317-38-0, Cupric oxide, uses **1317-39-1**, Cuprous oxide, uses 1332-29-2, Tin oxide 1332-37-2, Iron oxide, uses 1344-41-8, Lead tin oxide 10101-58-3, Cobalt tungsten oxide Copper oxide 11075-35-7, Titanium vanadium oxide 11104-61-3, Cobalt oxide 11104-65-7, 11113-58-9, Cobalt vanadium oxide Chromium copper oxide 11113-84-1, Ruthenium oxide 11115-97-2, Iron molybdenum oxide 11126-28-6, Titanium tungsten oxide 11129-18-3, Cerium oxide 11129-48-9, Iron zinc oxide 11137-98-7, Aluminum magnesium oxide 12009-18-6, Barium tin oxide 12013-46-6, Calcium tin oxide 12018-79-0, Copper iron oxide 12022-43-4, Iron lanthanum oxide (FeLaO3) 12022-71-8, Iron titanium oxide (FeTiO3) 12024-21-4, Gallium oxide 12032-74-5, Manganese titanium oxide (MnTiO3) 12034-89-8, Strontium niobate (SrNb206) 12036-32-7, Praseodymium oxide 12036-43-0, Titanium zinc oxide (TiZnO3) 12036-44-1, Thulium oxide (Tm2O3) 12037-29-5, Praseodymium oxide (Pr6O11) 12053-92-8, Copper lanthanum oxide (CuLa204) 12060-59-2, Strontium titanate (SrTiO3) 12068-51-8, Aluminum magnesium oxide (Al2MgO4) 12168-54-6, Iron nickel oxide (Fe2NiO4) 12263-02-4, Copper iron manganese oxide (CuFeMnO4) 12517-25-8, Copper gallium oxide 12527-64-9, Copper strontium oxide (Cu2SrO2) 12610-16-1, Lead molybdenum oxide 12626-96-9, Nickel niobium oxide 12643-01-5, Cerium vanadium oxide 12651-22-8, Tin tungsten oxide **12651-25-1**, Titanium zinc oxide 12672-48-9, Chromium 12673-59-5, Niobium strontium oxide silicon oxide 12673-86-8, 12673-88-0, Molybdenum tin oxide Antimony tin oxide 12678-40-9. Aluminum iron oxide 12687-47-7, Chromium nickel oxide 12707-85-6, Iron nickel oxide 12738-08-8, Molybdenum titanium 12771-04-9, Iron tungsten oxide 12777-45-6, Bismuth tin 12777-52-5, Chromium strontium titanium oxide oxide 12777-55-8, Cobalt tin oxide 12777-79-6, Iron tin oxide 12777-94-5, Chromium lanthanum oxide 12778-05-1, Nickel tin oxide 12789-64-9, Iron titanium oxide 12795-57-2, Strontium titanium oxide 13463-67-7, Titanium oxide (TiO2), uses 13530-56-8, Aluminum vanadium oxide (AlVO4) 13597-19-8, Cerium vanadium oxide 15578-31-1, Vanadium zinc oxide (V2Zn2O7) **18282-10-5**, Tin oxide (SnO2) 26110-64-5, Copper iron oxide (CuFeO4) 37220-25-0, Aluminum titanium oxide 37267-30-4, Chromium manganese oxide (CrMnO3) 37268-49-8, Niobium titanium 37268-50-1, Niobium tungsten oxide 37321-15-6, Nickel silicon oxide 37323-29-8, Niobium strontium tungsten oxide

37349-60-3, Tantalum tin oxide 37368-09-5, Titanium zirconium 37368-10-8, Aluminum vanadium oxide 39290-95-4, Tungsten 39322-06-0, Tungsten zinc oxide zirconium oxide 39336-05-5, Chromium yttrium oxide 39345-88-5, Niobium zirconium oxide **39354-08-0**, Aluminum nickel oxide 39361-81-4, Iron zirconium oxide 39361-86-9, Nickel zirconium oxide 39406-95-6, Cerium titanium oxide 39432-73-0, Chromium manganese oxide 39467-15-7, Silicon tungsten oxide 39455-59-9, Cobalt zinc oxide 39467-17-9, Tin zinc oxide 50922-29-7, Chromium zinc oxide 50925-72-9, Bismuth zinc oxide 50926-11-9, Indium tin oxide 51312-37-9, Rubidium tungsten oxide 51683-41-1, Vanadium zirconium 52337-09-4, Silicon titanium oxide 53125-59-0, Antimony 53801-91-5, Chromium titanium oxide 53807-65-1, Zinc zirconium oxide 53809-60-2, Calcium zinc oxide 54242-92-1, 54413-02-4, Niobium potassium oxide Barium zinc oxide 54427-12-2, Lead zinc oxide 54990-20-4, Manganese titanium oxide 54991-58-1, Aluminum chromium oxide 55030-80-3, Gallium lanthanum 56997-35-4, Gallium iron oxide 56997-34-3, Cadmium tin oxide 57348-59-1, Barium copper oxide 58500-36-0, Iron niobium oxide 58500-37-1, Manganese niobium oxide 58500-40-6, Silicon oxide 58834-07-4, Cerium niobium oxide 58984-36-4, Cobalt tin oxide 59141-86-5, Copper lanthanum oxide 59656-34-7, lanthanum oxide Cerium iron oxide 59707-45-8, Lanthanum manganese sodium oxide 59707-46-9, Lanthanum manganese strontium oxide 60842-54-8, Iron niobium titanium oxide 60861-12-3, Copper nickel oxide 60861-14-5, Manganese zinc oxide 60866-78-6, Tantalum titanium 61583-60-6, Molybdenum zinc oxide 64417-98-7, Yttrium zirconium oxide 65232-86-2, Copper iron manganese oxide 65453-20-5, Cobalt magnesium oxide 65453-29-4, Copper titanium 65983-12-2, Vanadium zinc oxide 66579-84-8, Cobalt copper oxide oxide 67182-14-3, Bismuth ruthenium oxide 74463-16-4, Barium copper oxide (Ba2Cu2O5) 77649-65-1, Molybdenum rubidium oxide 100438-91-3, Nickel zinc oxide 102055-22-1, Aluminum magnesium 108658-67-9, Copper lanthanum strontium oxide zinc oxide 111569-09-6, Scandium zirconium oxide 115493-79-3, Copper lead 119000-05-4, Copper strontium oxide 119325-55-2, Barium copper oxide (BaCuO2.5) 123213-50-3, Tin zirconium oxide 127031-04-3, Gallium tin oxide 127989-52-0, Manganese tin oxide 130025-53-5, Iron lanthanum oxide 131064-29-4, Copper zinc oxide 133174-46-6, 132084-94-7, Niobium strontium titanium oxide Ruthenium zinc oxide 134883-93-5, Copper zirconium oxide 139920-08-4, Tin titanium oxide 141618-04-4, Ruthenium tin oxide 144972-85-0, Barium copper titanium oxide 145055-25-0, Strontium titanium vanadium oxide 147182-48-7, Titanium zinc oxide 149661-61-0, Tantalum zirconium oxide (Ti0.2Zn0.801.2) 149887-77-4, Copper tin oxide 152417-16-8, Copper gallium oxide 154104-21-9, Cobalt nickel zirconium oxide 156202-38-9, Calcium cerium zirconium oxide 157822-53-2, Aluminum silicon vanadium

158970-04-8, Manganese strontium titanium oxide 159747-44-1, Silicon zinc oxide 173478-78-9, Cobalt nickel 174420-43-0, Manganese yttrium oxide titanium oxide 175615-66-4, Iron tungsten zirconium oxide 184588-38-3, Iron strontium titanium 188840-02-0, Nickel strontium titanium oxide 196820-06-1, 236103-74-5, Cobalt lead oxide Cobalt lead zinc oxide 237750-29-7, Nickel yttrium oxide 244049-38-5, Gallium titanium 251973-57-6, Iron tantalum titanium oxide 267225-50-3, Cobalt niobium oxide 331412-51-2, Cadmium zinc oxide 371789-91-2, Tin tungsten zinc oxide 415707-58-3, Cobalt germanium oxide 415707-59-4, Copper sodium oxide 415707-60-7, Germanium 415707-61-8, Germanium titanium oxide niobium oxide 415707-62-9. Ruthenium tungsten oxide 415707-63-0, Tantalum zinc oxide 415707-64-1, Cobalt lead tin oxide 415707-65-2, Iron lead zinc 415707-66-3, Lead molybdenum zinc oxide 415707-67-4, 415707-68-5, Strontium titanium zinc Niobium titanium zinc oxide 415707-69-6, Titanium tungsten zirconium oxide 415707-70-9, Copper iron manganese oxide (CuFe2MnO4) (method and app. for analyzing mixts. of gases using semiconductor gas sensor arrays)

ANSWER 10 OF 40 HCA COPYRIGHT 2005 ACS on STN 136:344788 Method and apparatus for analyzing mixtures of gases. Morris, Patricia A. (E. I. Du Pont de Nemours & Co., USA). PCT Int. Appl. WO 2002033393 A2 20020425, 67 pp. DESIGNATED STATES: W: AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2001-US32138 20011015. PRIORITY: US 2000-PV240619 20001016; US 2000-PV246946 20001109. Disclosed herein is a method and app. for analyzing, sensing and AΒ measuring the concns. of various gases, including NOx, hydrocarbons, carbon monoxide and oxygen, in a multi-component gas system using chem. sensors and chem. sensor arrays. The sensors and sensor arrays use chemo/electro-active materials to analyze and detect the presence of gases.

IT 1309-37-1, Ferric oxide, uses 1313-96-8, Niobium
 oxide 1313-99-1, Nickel oxide (NiO), uses
 1314-13-2, Zinc oxide, uses 1314-23-4, Zirconium
 oxide, uses 1314-35-8, Tungsten oxide (WO3), uses
 1314-37-0, Ytterbium oxide (Yb2O3) 1314-61-0,
 Tantalum oxide 1317-38-0, Cupric oxide, uses
 1317-39-1, Cuprous oxide, uses 11137-98-7,
 Aluminum magnesium oxide 12024-21-4, Gallium oxide

12036-32-7, Praseodymium oxide 12036-43-0,

Titanium zinc oxide (TiZnO3) 12036-44-1, Thulium oxide (Tm2O3) **12O37-29-5**, Praseodymium oxide (Pr6O11) 12651-25-1, Titanium zinc oxide 13463-67-7, Titanium oxide (TiO2), uses 18282-10-5, Tin oxide (SnO2) 39354-08-0, Aluminum nickel oxide (method and app. for analyzing mixts. of gases using semiconductor gas sensor arrays) RN 1309-37-1 HCA Iron oxide (Fe2O3) (8CI, 9CI) (CA INDEX NAME) CN *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** RN 1313-96-8 HCA Niobium oxide (Nb2O5) (8CI, 9CI) (CA INDEX NAME) CN *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** 1313-99-1 HCA RNCN Nickel oxide (NiO) (8CI, 9CI) (CA INDEX NAME) Ni = 0RN 1314-13-2 HCA Zinc oxide (ZnO) (9CI) (CA INDEX NAME) CN O = ZnRN1314-23-4 HCA CN Zirconium oxide (ZrO2) (8CI, 9CI) (CA INDEX NAME) o = Zr = 0RN 1314-35-8 HCA Tungsten oxide (WO3) (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME) CN 0 = W = 0RN 1314-37-0 HCA Ytterbium oxide (Yb2O3) (6CI, 8CI, 9CI) (CA INDEX NAME) *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** RN 1314-61-0 HCA Tantalum oxide (Ta2O5) (8CI, 9CI) (CA INDEX NAME) *** STRUCTURE DIAGRAM IS NOT AVAILABLE *** RN 1317-38-0 HCA CN Copper oxide (CuO) (8CI, 9CI) (CA INDEX NAME)

Cu = 0

RN 1317-39-1 HCA

CN Copper oxide (Cu2O) (8CI, 9CI) (CA INDEX NAME)

Cu-O-Cu

RN 11137-98-7 HCA

CN Aluminum magnesium oxide (9CI) (CA INDEX NAME)

Component	 	Ratio		Component Registry Number
	==+==		====+=:	
0		X	1	17778-80-2
Mg		X		7439-95-4
Al	- 1	x		7429-90-5

RN 12024-21-4 HCA

CN Gallium oxide (Ga2O3) (8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12036-32-7 HCA

CN Praseodymium oxide (Pr2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

Component		Ratio		Component Registry Number
	==+==		==+=	
0	1	3	ı	17778-80-2
Pr	1	2	1	7440-10-0

RN 12036-43-0 HCA

CN Titanium zinc oxide (TiZnO3) (9CI) (CA INDEX NAME)

Component	 	Ratio	 	Component Registry Number
	==+==		=+=	
0	1	3		17778-80-2
Zn	1	1	1	7440-66-6
Ti	İ	1	-	7440-32-6

RN 12036-44-1 HCA

CN Thulium oxide (Tm2O3) (6CI, 8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12037-29-5 HCA

CN Praseodymium oxide (Pr6011) (6CI, 8CI, 9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Compo	onent 	Ratio		Component Registry Number
O Zn Ti	 	x x x	 	17778-80-2 7440-66-6 7440-32-6
	3463-67-7 HC		(8CT. 9CT) (CA INDEX NAME)

O=Ti=O

RN 18282-10-5 HCA

CN Tin oxide (SnO2) (8CI, 9CI) (CA INDEX NAME)

0 = Sn = 0

RN 39354-08-0 HCA

CN Aluminum nickel oxide (9CI) (CA INDEX NAME)

Component	 	Ratio	l l Re	Component gistry Number
	==+==:		·===+====	
0		x	j	17778-80-2
Ni	1	X	1	7440-02-0
Al	1	· X	1	7429-90-5

IC ICM G01N027-00

CC 59-1 (Air Pollution and Industrial Hygiene)

IT · 1309-37-1, Ferric oxide, uses 1313-96-8, Niobium oxide 1313-99-1, Nickel oxide (NiO), uses 1314-13-2, Zinc oxide, uses 1314-23-4, Zirconium oxide, uses 1314-35-8, Tungsten oxide (WO3), uses 1314-37-0, Ytterbium oxide (Yb2O3) 1314-61-0, Tantalum oxide 1317-38-0, Cupric oxide, uses **1317-39-1**, Cuprous oxide, uses 1332-29-2, Tin oxide 1332-37-2, Iron oxide, uses 1344-41-8, Lead tin oxide 1344-70-3, Copper oxide 10101-58-3, Cobalt tungsten oxide 11075-35-7, Titanium vanadium oxide 11104-61-3, Cobalt oxide 11104-65-7, Chromium copper oxide 11113-58-9, Cobalt vanadium oxide 11113-84-1, Ruthenium oxide 11115-97-2, Iron molybdenum oxide 11126-28-6, Titanium tungsten oxide 11129-18-3, Cerium oxide 11129-48-9, Iron zinc oxide 11137-98-7, Aluminum magnesium

12009-18-6, Barium tin oxide 12013-46-6, Calcium tin oxide 12018-79-0, Copper iron oxide 12022-43-4, Iron lanthanum oxide 12022-71-8, Iron titanium oxide (FeTiO3) **12024-21-4**, Gallium oxide 12032-74-5, Manganese titanium 12034-89-8, Strontium niobate (SrNb206) oxide (MnTiO3) 12036-32-7, Praseodymium oxide 12036-43-0, Titanium zinc oxide (TiZnO3) 12036-44-1, Thulium oxide (Tm2O3) **12O37-29-5**, Praseodymium oxide (Pr6O11) 12053-92-8, Copper lanthanum oxide (CuLa204) 12060-59-2, Strontium titanate (SrTiO3) 12068-51-8, Aluminum magnesium oxide (Al2MgO4) 12168-54-6, Iron nickel oxide (Fe2NiO4) 12263-02-4, Copper iron manganese oxide (CuFeMnO4) 12517-25-8, Copper gallium oxide (CuGaO2) 12527-64-9, Copper strontium oxide (Cu2SrO2) 12610-16-1, Lead molybdenum oxide 12626-96-9, Nickel niobium oxide 12643-01-5, Cerium vanadium oxide 12651-22-8, Tin tungsten oxide 12651-25-1, Titanium zinc oxide 12672-48-9, Chromium silicon oxide 12673-59-5, Niobium strontium oxide 12673-86-8, Antimony tin oxide 12673-88-0, Molybdenum tin oxide 12678-40-9, Aluminum iron oxide 12687-47-7, Chromium nickel oxide 12707-85-6, Iron nickel oxide 12738-08-8, Molybdenum titanium 12771-04-9, Iron tungsten oxide 12777-45-6, Bismuth tin 12777-52-5, Chromium strontium titanium oxide 12777-55-8, Cobalt tin oxide 12777-79-6, Iron tin oxide 12777-94-5, Chromium 12778-05-1, Nickel tin oxide 12789-64-9, Iron lanthanum oxide 12795-57-2, Strontium titanium oxide titanium oxide **13463-67-7**, Titanium oxide (TiO2), uses 13530-56-8, Aluminum vanadium oxide (AlVO4) 13597-19-8, Cerium vanadium oxide 15578-31-1, Vanadium zinc oxide (V2Zn2O7) **18282-10-5**, Tin oxide (SnO2) 26110-64-5, Copper iron oxide 37220-25-0, Aluminum titanium oxide 37267-30-4, Chromium manganese oxide (CrMnO3) 37268-49-8, Niobium titanium 37268-50-1, Niobium tungsten oxide 37321-15-6, Nickel oxide 37323-29-8, Niobium strontium tungsten oxide silicon oxide 37349-60-3, Tantalum tin oxide 37368-09-5, Titanium zirconium 37368-10-8, Aluminum vanadium oxide 39290-95-4, Tungsten 39322-06-0, Tungsten zinc oxide 39336-05-5, zirconium oxide Chromium yttrium oxide 39345-88-5, Niobium zirconium oxide **39354-08-0**, Aluminum nickel oxide 39361-81-4, Iron zirconium oxide 39361-86-9, Nickel zirconium oxide 39406-95-6, Cerium titanium oxide 39432-73-0, Chromium manganese oxide 39455-59-9, Cobalt zinc oxide 39467-15-7, Silicon tungsten oxide 39467-17-9, Tin zinc oxide 50922-29-7, Chromium zinc oxide 50925-72-9, Bismuth zinc oxide 50926-11-9, Indium tin oxide 51312-37-9, Rubidium tungsten oxide 51683-41-1, Vanadium zirconium 52337-09-4, Silicon titanium oxide 53125-59-0, Antimony 53801-91-5, Chromium titanium oxide 53807-65-1, Zinc zinc oxide zirconium oxide 53809-60-2, Calcium zinc oxide 54242-92-1, Barium zinc oxide 54413-02-4, Niobium potassium oxide

54427-12-2, Lead zinc oxide 54990-20-4, Manganese titanium oxide 54991-58-1, Aluminum chromium oxide 55030-80-3, Gallium lanthanum 56997-34-3, Cadmium tin oxide 56997-35-4, Gallium iron oxide 57348-59-1, Barium copper oxide 58500-36-0, Iron niobium 58500-37-1, Manganese niobium oxide 58500-40-6, Silicon oxide 58834-07-4, Cerium niobium oxide 58984-36-4, Cobalt 59141-86-5, Copper lanthanum oxide 59656-34-7, lanthanum oxide Cerium iron oxide 59707-45-8, Lanthanum manganese sodium oxide 59707-46-9, Lanthanum manganese strontium oxide 60842-54-8, Iron 60861-12-3, Copper nickel oxide niobium titanium oxide 60861-14-5, Manganese zinc oxide 60866-78-6, Tantalum titanium 64417-98-7, Yttrium 61583-60-6, Molybdenum zinc oxide 65232-86-2, Copper iron manganese oxide zirconium oxide -5, Cobalt magnesium oxide 65453-29-4, Copper titanium oxide 65983-12-2, Vanadium zinc oxide 66579-84-8, Cobalt copper oxide 67182-14-3, Bismuth ruthenium oxide 74463-16-4, Barium copper 77649-65-1, Molybdenum rubidium oxide oxide (Ba2Cu2O5) 100438-91-3, Nickel zinc oxide 102055-22-1, Aluminum magnesium 108658-67-9, Copper lanthanum strontium oxide zinc oxide 111569-09-6, Scandium zirconium oxide 115493-79-3, Copper lead 119000-05-4, Copper strontium oxide 119325-55-2, Barium copper oxide (BaCuO2.5) 123213-50-3, Tin zirconium oxide 127031-04-3, Gallium tin oxide 127989-52-0, Manganese tin oxide 130025-53-5, Iron lanthanum oxide 131064-29-4, Copper zinc oxide 133174-46-6, 132084-94-7, Niobium strontium titanium oxide Ruthenium zinc oxide 134883-93-5, Copper zirconium oxide 139920-08-4, Tin titanium oxide 141618-04-4, Ruthenium tin oxide 144972-85-0, Barium copper titanium oxide 145055-25-0, Strontium titanium vanadium oxide 147182-48-7, Titanium zinc oxide (Ti0.2Zn0.801.2) 149661-61-0, Tantalum zirconium oxide 149887-77-4, Copper tin oxide 152417-16-8, Copper gallium oxide 154104-21-9, Cobalt nickel zirconium oxide 156202-38-9, Calcium cerium zirconium oxide 157822-53-2, Aluminum silicon vanadium oxide 158970-04-8, Manganese strontium titanium oxide 159747-44-1, Silicon zinc oxide 173478-78-9, Cobalt nickel titanium oxide 174420-43-0, Manganese yttrium oxide 175615-66-4, Iron tungsten zirconium oxide 184588-38-3, Iron strontium titanium 188840-02-0, Nickel strontium titanium oxide 196820-06-1, 236103-74-5, Cobalt lead oxide Cobalt lead zinc oxide 237750-29-7, Nickel yttrium oxide 244049-38-5, Gallium titanium 251973-57-6, Iron tantalum titanium oxide zinc oxide 267225-50-3, Cobalt niobium oxide 331412-51-2, Cadmium zinc oxide 371789-91-2, Tin tungsten zinc oxide 415707-58-3, Cobalt germanium 415707-59-4, Copper sodium oxide 415707-60-7, Germanium niobium oxide 415707-61-8, Germanium titanium oxide Ruthenium tungsten oxide 415707-63-0, Tantalum zinc oxide 415707-64-1, Cobalt lead tin oxide 415707-65-2, Iron lead zinc oxide 415707-66-3, Lead molybdenum zinc oxide 415707-67-4,

Niobium titanium zinc oxide 415707-68-5, Strontium titanium zinc oxide 415707-69-6, Titanium tungsten zirconium oxide 415707-70-9, Copper iron manganese oxide (CuFe2MnO4) (method and app. for analyzing mixts. of gases using semiconductor gas sensor arrays)

L22 ANSWER 28 OF 40 HCA COPYRIGHT 2005 ACS on STN 104:91885 Catalytic reforming. Aldag, Arthur W., Jr. (Phillips Petroleum Co., USA). U.S. US 4566967 A 19860128, 6 pp. (English). CODEN: USXXAM. APPLICATION: US 1985-708143 19850304.

AB A catalyst compn. is described for reforming a feedstock to increase the octane no. of gasoline produced from the feedstock. The catalyst, consisting essentially of ZnO and a spinel structure alumina, is prepd. as a phys. mixt. of **Zn titanate** and a spinel structure alumina. The Zn present in the catalyst is insufficient for the formation of bulk Zn **aluminate**. A reforming process employing the catalyst is discussed.

IT 1314-13-2, uses and miscellaneous

(catalyst contg., for petroleum reforming)

RN 1314-13-2 HCA

CN Zinc oxide (ZnO) (9CI) (CA INDEX NAME)

0=== Zn

IT **12651-25-1**

(mixt. of, with spinel structure alumina, in prepn. of petroleum reforming catalysts)

RN 12651-25-1 HCA

CN Titanium zinc oxide (9CI) (CA INDEX NAME)

Component	 !	Ratio		Component Registry Number
	==+==		===+=	
0	·	x		17778-80-2
Zn		X	-	7440-66-6
Ti	1	X	1	7440-32-6

IC ICM C10G035-06

INCL 208135000

CC 51-6 (Fossil Fuels, Derivatives, and Related Products)

ST petroleum reforming zinc titanate spinel

IT Petroleum refining catalysts

(reforming, spinel structure alumina-zinc

titanate)

IT 1314-13-2, uses and miscellaneous

(catalyst contg., for petroleum reforming)

IT 12651-25-1

(mixt. of, with spinel structure alumina, in prepn. of petroleum reforming catalysts)